WELCOME TO OUR Channel Bulletin

June 2025



EcoTank ET-4950

Wireless | Print | Copy | Scan | ADF | Fax



KEY FEATURES:

- Cartridge-free printing integrated high-capacity ink tank system.
- High-yield included print up to 6,600 black / 5,500 colour pages1.
- Load paper less often 250-sheet paper tray capacity.
- Increased productivity 30-sheet auto document feeder with 2-sided scanning capability;
 auto 2-sided printing; borderless printing, up to A4; fax.
- Ultimate Wireless and Networking easily print from iPad®, iPhone®, Android™ tablets and smartphones²; includes Wi-Fi Direct®³ plus Ethernet.
- Easy setup and navigation 2.4" colour LCD touchscreen.

features & benefits



EPSON SMART-PANEL

An innovative interface, the Epson Smart Panel app4 transforms your iOS® or Android™ mobile device into an intuitive control center for your Epson EcoTank ET-4950. This powerful tool makes it easy to set up, monitor, print, scan and more using your Epson printer, right from your handheld device. With quickconfiguration features, it offers easy product setup on your wireless network and automatically detects your printer. Customize the app to your own preferences and requirements.



PRINTING FREEDOM:

With an integrated high capacity ink tank system, the Epson EcoTank ET-4950 comes with enough ink in the box to print up to 6,600 pages in black and 5,500 pages in colour¹ without worrying about ongoing ink replacement and costs.





HIGH-VOLUME INK BOTTLES:

Additional low-cost ink can be bought in convenient high-volume bottles that have a drip-free nozzle and resealable cap for easy storage and refilling. We have redesigned our ink bottles to incorporate a unique key system. Each bottle is keyed so that it only fits into the corresponding ink tank on the printer, thus preventing mis-filling or spillage. Replacement bottles hold enough ink for a massive 8,500 pages in black and 6,500 pages in colour¹.



DO MORE:

The Epson EcoTank ET-4950 is our most versatile EcoTank for the home office, allowing you to scan, copy and fax easily with the convenient 30-page Automatic Document Feeder (ADF). Plus save paper and time with auto 2-sided printing, copying and scanning. Also, featuring a front paper tray with a 250-sheet paper capacity, so you can load less often.



HIGH-SPEED FAXING:

Fax as fast as 3 seconds per page, save up to 100 pages in memory, and store up to 60 speed dialing numbers. Using the included PC-Fax, you can even send a colour fax right from your computer. It is a great way to save time and paper.



POWERED BY PRECISIONCORE® HEAT-FREE:

The Epson EcoTank ET-4950 is powered by PrecisionCore® Heat-Free Technology which uses a revolutionary high-density print chip that can generate up to 40 million precise dots per second with amazing accuracy, producing professional-quality output at fast speeds.

product specifications

PRODUCT INFORMATION	
Product Code	C11CL40501
Barcode	9314020639197
Dimensions (open stacker)	375mm (W) x 506mm (D) x 269mm (H)
Weight	7.3kg
Packaging Dimensions	500mm (W) x 412mm (D) x 318mm (H)
Packed Weight	9kg

PRODUCT SPECIFICATIONS	
Printer Type	Multi-function printer
Function(s)	Print, Copy, Scan & Fax
Ink Bottles	4
Bottle No.	T502 (B,C,M,Y)
Max Print Resolution	4,800 x 1,200dpi
Max Scan Resolution	1,200 x 2,400dpi
Min Droplet Size	3.3pl
Max A4 Print Speed ISO:24734	18ppm black 9ppm colour⁵
Max A4 Copying Speed ISO:29183	11.5ppm black 5.7ppm colour ⁶
Wi-Fi / Wi-Fi Direct / Ethernet	Yes Yes Yes
Smart Device Printing Solutions	Epson Smart Panel Email Print Scan to Cloud Epson ScanSmart AirPrint
Automatic Document Feeder (ADF)	30-sheet capacity 1-Sided to 2 Sided Scanning
Double-Sided Printing, Copy and Scan	Yes
Screen Size	2.4" colour touchscreen LCD
A4 Paper Capacity	250 sheets
Warranty	24 month EcoTank Back to Base Warranty - (12 month standard express warranty, and an bonus additional 12 months upon registration) ⁷

PRODUCT CODE	DESCRIPTION
C11CL40501	Epson EcoTank ET-4950
PRODUCT CODE	DESCRIPTION
C13T03K192	T502 Black EcoTank Ink Bottle
C13T03K292	T502 Cyan EcoTank Ink Bottle
C13T03K392	T502 Magenta EcoTank Ink Bottle
C13T03K492	T502 Yellow EcoTank Ink Bottle

Included ink bottle yields based on the ISO/IEC 24712 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours must be available for printing so an additional black (K) bottle may be required to reach stated colour (C, M, Y) yields.

For more information, visit www.epson.com/inkinfo

²Most features require an Internet connection to the printer, as well as an Internet and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and Apps, visit www.epson.com.au/connect-solutions/

³Wi-Fi CERTIFIED™, level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

⁴Requires Epson Smart Panel app download. Data usage fees may apply. Some functions may not be supported on select printers.

⁵Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.com/iso-print-speeds

⁶Black and colour copy speeds are determined in accordance with ISO/IEC 29183. Actual copy times will vary based on system configuration and page complexity. For more information, visit www.epson.com/iso-copy-speeds

⁷Terms and conditions apply. In addition to your rights under the Australian Consumer Law, be covered with Epson's bonus additional Express Warranty upon product registration. The Express Warranty is for 12 months. For an additional 12 month Express Warranty (total of 24 months of warranty), register your product within 12 months from the date of purchase and use Epson genuine ink bottles.

For more details please visit https://www.epson.com.au/warranty/EcoTank-backtobase.asp

