

## Small and mighty

HP LaserJet Enterprise M406dn HP LaserJet Enterprise MFP M430f



periodically by firmware updates. The printer is intended to be using a non-HP chip may not function or may cease to function. See <u>hp.com/learn/ds</u> for more information.



Easy to use, simple to manage



The world's most secure printing<sup>1</sup>



Enhanced productivity to empower work teams

### Easy to use, simple to manage



Set up work teams for success without adding more to your plate. Help people handle business wherever it happens while giving IT the fleet-wide control it needs, using a compact printer or MFP built for simple use and management.



## Investment protection

Work with the future in mind. HP FutureSmart firmware can be updated with the latest features to help protect and optimize your investment in print infrastructure for years to come.<sup>2</sup>

Get consistent, intuitive user controls across devices, seamlessly incorporate paper and digital content to improve workflows, and easily install updates on your schedule.



## Streamlined fleet management

Centralize control of your print environment with HP Web Jetadmin.<sup>3</sup> Easily add new devices and solutions, update features, and apply corporate policies to help build business efficiency. Set up new printers quickly, manage device settings easily, and start printing the pages you need right away.



## Consistent experiences and results

Enable workflows across your fleet with a consistent experience and intuitive tablet-like icons IT admins and end-users recognize—so finishing tasks feels familiar fleet-wide. Media-sensing technology automatically adjusts print settings across a wide variety of paper types, including plain, glossy, and thick media, so you get consistent, high-quality results.

### The world's most secure printing<sup>1</sup>



HP printers have the industry's strongest security because they're always on guard, continually stopping threats while adapting to new ones.<sup>1</sup> And only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene.



### Always on guard

HP Enterprise printers offer built-in security features that are always on guard.<sup>1</sup>

- With HP Sure Start, each device regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors activity to detect and stop attacks, then automatically reboots.
- Whitelisting checks firmware during startup to help ensure that it's authentic, good code—digitally signed by HP.
- HP Connection Inspector inspects outgoing network connections to stop suspicious requests like malware.



## Opt for tighter security

Help protect this printer with more than 100 embedded security features.<sup>4</sup>

Safeguard information in transit over the network and stored on the device—keys, passwords, certificates, and more—using the embedded HP Trusted Platform Module.<sup>5</sup>

Thwart potential attacks by receiving instant notification of possible security issues, so immediate action can be taken.<sup>6</sup> Works with leading SIEM tools like Splunk, ArcSight, and McAfee.

Help ensure the security of confidential information with PIN/pull printing to retrieve print jobs.



## Your whole fleet, at your control

Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>3</sup> Optional HP JetAdvantage Security Manager offers an effective, policy-based approach to help secure HP printing and imaging devices.<sup>7</sup> Easily set security configuration policies and automatically validate settings for every enabled HP printer and MFP in your fleet.

HP JetAdvantage Secure Print and HP Access Control (HPAC) help secure documents by requiring authentication to release print jobs.<sup>8</sup> In addition, extend capabilities and easily customize with HPAC—integrate job accounting, manage rights, and establish quotas for things such as color use.<sup>9</sup> Save IT time and make printing easy for the entire enterprise by using a single driver for all HP devices.<sup>10</sup>

#### For more information

#### Fleet management HP Web Jetadmin: hp.com/go/wia

Solution brief: <u>http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA5-2718ENW.pdf</u>

Video: <a href="http://hp.brightcovegallery.com/solutions/detail/video/4271055504001/">http://hp.brightcovegallery.com/solutions/detail/video/4271055504001/</a>

HP Universal Print Driver: <u>hp.com/go/upd</u> Solution brief: <u>http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA2-4781ENW.pdf</u>

#### Security

HP JetAdvantage Security Solutions: <u>hp.com/go/printsecurity</u> Solution overview: <u>http://h20195.www2.hp.com/V2/GetPDE.aspx/4AA3-1295ENW.pdf</u> Video: <u>http://hp.brightcovegallery.com/products/detail/video/4270905124001/</u>


HP JetAdvantage Security Manager: <u>hp.com/go/securitymanager</u> Brochure: <u>http://h20195.www2.hp.com/V2/GetPDF.aspx/4AA3-9275ENW.pdf</u> Video: <u>http://hp.brightcovegallerv.com/products/detail/video/4270837770001/</u>

### Enhanced productivity keeps business moving

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

### Take waiting out of your workday

Don't wait for documents. Receive your first page in as few as 6.3 seconds from ready mode and 8.6 seconds from energyefficient sleep mode.<sup>11,12</sup> Print up to 42 pages per minute (ppm) in HP High Speed mode.<sup>13</sup>



These compact printers and MFPs are designed to integrate neatly into home offices, small workcenters, and remote workgroups, providing ready access to Enterprise-class printing that accelerates performance and productivity.



#### Optimize your workflows

Improve business agility by integrating paper into digital workflows. Optional MFP apps can optimize workflows, reduce steps and errors, and meet other specific business needs. Help save time and money by driving process efficiency and support a mobile workforce that needs access to content.

Accelerate workflows with single-pass, two-sided scanning up to 49 images per minute (ipm) on the MFP M430f.<sup>14</sup> Scan files directly to Microsoft Office 365 and SharePoint<sup>®</sup>, plus email, USB, and network folders.<sup>15</sup>

#### Loaded for productivity

Let high-volume jobs handle themselves. The M406dn and MFP M430f have a 900-sheet maximum capacity with an optional third input tray, so you can spend less time loading and reloading paper.



Easily develop, deploy, and integrate HP and third-party solutions with the HP Open Extensibility Platform. Support card readers and the ability for users to walk up, swipe their badge, and use personalized settings to print from their own queue.

# Sustainability is smart business



Business is all about resource management, and finding efficiencies is everyone's responsibility. HP LaserJet printers and MFPs are designed for low energy use, to help people complete tasks quickly while conserving wherever possible.



## Designed to conserve

Help save paper right out of the box. Twosided (duplex) printing is the default setting for automatic savings.<sup>16</sup>

Help save energy with HP Auto-On/ Auto-Off Technology and HP Instant-On Technology—intelligence that can turn your printer on when you need it and off when you don't.<sup>17,18</sup>



Enhanced energy efficiency

Save energy without sacrificing performance—the HP LaserJet Enterprise M406dn and MFP M430f are ENERGY STAR<sup>®</sup> certified.



#### Reduce your environmental impact

Help keep productivity up and energy use down. This efficient printer is designed for low energy consumption—thanks to its compact design and specially formulated EcoSmart toner.

Recycle your Original HP cartridges easily and at no additional charge with HP Planet Partners.<sup>19</sup>



### Powerful printing. Energy smart.<sup>20</sup>



Count on Original HP Toner cartridges with JetIntelligence to deliver high-quality pages at fast speeds, plus high-yield options<sup>21</sup> and innovative anti-fraud technology to enable the consistent HP quality you need. Designed with the environment,<sup>22</sup> indoor air quality,<sup>23</sup> and cartridge chip security in mind.<sup>24</sup>



## Get high-quality printing

Count on the advantages of Original HP Toner cartridges—performance, high quality, and dependability. Original HP Toner cartridges with JetIntelligence deliver high-quality pages, help reduce costs with high-yield options and page maximizer technology, and intelligently track toner levels with print gauge technology, so you can be confident you're getting value from every cartridge you buy.



## Get more from your printer

Original HP Toner cartridges with JetIntelligence are specially engineered to match your printer's high-speed performance without sacrificing the quality you depend on to look professional. Produce top-quality documents at speeds your printer was built to achieve with Original HP Toner.



## Get peace of mind with anti-fraud protection

Original HP Toner cartridges help protect against counterfeits. Anti-fraud technology authenticates that a genuine Original HP cartridge is installed and allows you to enable fleet-wide printing policies that support Original HP-only cartridges. HP design, production, and supply chain processes help keep your printing system secure,<sup>25</sup> and tamper-resistant chips help ensure customers get the Original HP quality they paid for.<sup>24</sup>



Original HP 58X High Yield Black LaserJet Toner Cartridge (~10,000 pages)<sup>26</sup>

### Stay connected with secure mobile printing



Improve work team agility while also protecting the company network. Ethernet and optional wireless networking help users stay connected and work securely—throughout the office.<sup>27</sup> Add wireless direct and NFC touch-to-print to print directly from your mobile device.<sup>28,29</sup>



## Print from a variety of mobile devices

Print documents, email, PDFs, and more from smartphones and tablets running iOS, Android<sup>™</sup>, Windows, and Google Chrome<sup>™</sup> operating systems—generally no setup or apps required.<sup>30</sup>

Add the option to print with just a touch of your NFC-enabled smartphone or tablet to the print device.<sup>29</sup>



### Print from virtually anywhere

Let your mobile users print how they work, without complexity that slows them down or bogs down IT resources. HP Roam for Business lets you avoid complex infrastructure, ongoing maintenance, and lost time spent helping individual users with printing issues, so you can focus on more important work.<sup>31</sup>

Mobile users can submit print jobs to the cloud from any device while on the go, then retrieve them from any HP Roam for Business–enabled device simply and securely. There's no need to worry about device-to-printer compatibility or connectivity.




## Extend your printing reach

Keep your office connected with an optional accessory for wireless,<sup>27</sup> Bluetooth<sup>®</sup> Low Energy, and NFC touch-to-print.<sup>29</sup>

Optional 128-bit encrypted wireless direct printing helps secure data in transit and at rest—without accessing the company network—when using smartphones, tablets, and notebook PCs.<sup>28</sup>

#### Get to know the HP LaserJet Enterprise M406dn



#### At a glance

|   | 1  |
|---|--|
| Model   | M406dn   |
| Product number  | 3PZ15A   |
| Print speed (letter/A4)13                                   | Up to 40/38 ppm (default); 42/40 ppm (HP High Speed) |
| First page out (letter/A4) <sup>11</sup>                    | As fast as 6.3/6.5 seconds                           |
| Control panel   | 2.7-inch (6.9 cm) color graphics display             |
| Memory  | 1 GB   |
| Storage   | 4 GB eMMC  |
| Automatic two-sided printing (default) <sup>16</sup>        | $\checkmark$   |
| Input capacity (standard/maximum)                           | Up to 350/900 sheets                                 |
| 100-sheet input tray 1                                      | $\checkmark$   |
| 250-sheet input tray 2                                      | $\checkmark$   |
| 550-sheet input tray 3                                      | Optional   |
| Recommended monthly page volume (RMPV) <sup>32</sup>        | 900 to 4,800 pages                                   |
| Duty cycle  | Up to 100,000 pages                                  |
| Cartridge yields  | 3,000 pages (A) or 10,000 pages (X)                  |
| Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct®33 | Optional   |
| ENERGY STAR <sup>®</sup> qualified                          | $\checkmark$   |

#### Get to know the HP LaserJet Enterprise MFP M430f



M430f

3PZ55A

2 GB

√

√ √

Optional

Optional

√

16 GB eMMC

Up to 350/900 sheets

900 to 4,800 pages

Up to 100,000 pages

3,000 pages (A) or 10,000 pages (X)

As fast as 6.3/6.5 seconds

4.3-inch (10.9 cm) color touchscreen

Up to 40/38 ppm (default); 42/40 ppm (HP High Speed)

Recommended monthly page volume (RMPV)<sup>32</sup>

Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct®33

Model

Product number

Control panel

Memory

Storage

Duty cycle

Cartridge yields

ENERGY STAR<sup>®</sup> gualified

Print speed (letter/A4)<sup>13</sup>

First page out (letter/A4)11

100-sheet input tray 1

250-sheet input tray 2 550-sheet input tray 3

Automatic two-sided printing (default)<sup>16</sup>

Input capacity (standard/maximum)

#### HP LaserJet Enterprise M406dn and MFP M430f—configuration

#### Choose your accessory



### HP LaserJet Enterprise M406dn technical specifications

|                                 | HP LaserJet Enterprise M406dn  |
|---------------------------------|--|
| Product number                  | 3PZ15A   |
| Control panel                   | 2.7-inch (6.9 cm) color non-touch control panel with 24 keypad   |
| Print speed <sup>13</sup>       | Simplex (letter/A4): Up to 40/38 ppm (default); up to 42/40 ppm (HP High Speed)<br>Duplex (letter/A4): Up to 33/31 ipm   |
| First page out <sup>11,12</sup> | From ready (letter/A4): As fast as 6.3/6.5 seconds<br>From sleep (letter/A4): As fast as 8.6/8.8 seconds   |
| Print resolution                | Up to 600 × 600 dpi (normal), up to 1200 × 1200 dpi (fine lines)   |
| Printer advanced<br>features    | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs,<br>easy-access USB   |
| Processor                       | 800 MHz  |
| Memory                          | 1 GB   |
| Storage                         | 4 GB eMMC  |
| Durability ratings              |  |
| RMPV <sup>32</sup>              | 900 to 4,800 pages   |
| Duty cycle                      | Up to 100,000 pages  |
| Media specifications            |  |
| Input capacity                  | Up to 350 sheets standard (100-sheet multipurpose tray, 250-sheet input tray)<br>Up to 900 sheets maximum (with optional 550-sheet third tray)   |
| Output capacity                 | Up to 150 sheets   |
| Two-sided printing              | Automatic (default)  |
| Media sizes                     | <ul> <li>Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); custom: 3 x 5 to 8.5 x 14 in (76 x 127 to 216 x 356 mm)</li> </ul>  |
|                                 | <ul> <li>Tray 2: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); A4, RA4, A5, B5 (JIS), B6 (JIS), A6, 16K; custom: 4.1 x 5.8 to 8.5 x 14 in (105 x 148 to 216 x 356 mm)</li> </ul>  |
|                                 | <ul> <li>Tray 3 (optional): letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); A4, RA4, A5, B5 (JIS), B6 (JIS), A6, 16K; custom: 4.1 x 5.8 to 8.5 x 14 in (105 x 148 to 216 x 356 mm)</li> </ul>   |
| Media weights                   | • Tray 1: 16 to 46.6 lb (60 to 175 g/m <sup>2</sup> )  |
|                                 | • Tray 2: 16 to 32 lb (60 to 120 g/m <sup>2</sup> )  |
|                                 | <ul> <li>Tray 3 (optional): 16 to 32 lb (60 to 120 g/m<sup>2</sup>)</li> </ul>   |
| Media types                     | Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels  |
| Print languages                 | HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™  |
| Fonts                           | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol<br>built-in); 1 internal Unicode Font (Andale Mono World Type); 2 Internal Windows Vista 8 fonts (Calibri, Cambria); additional<br>font solutions available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at hp.com/go/<br>laserjetfonts |
| Connectivity                    | 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network  |
| Mobile printing                 | HP ePrint; Apple AirPrint <sup>™</sup> ; Mopria <sup>™</sup> certified; NFC touch-to-print (optional); Wi-Fi Direct <sup>™</sup> printing (optional); HP Roam for Business<br>capable for easy printing; <sup>31</sup> PrinterOn Print   |
| Network capabilities            | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az<br>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); second Ethernet<br>port (optional)  |

### HP LaserJet Enterprise M406dn technical specifications

|                                      | HP LaserJet Enterprise M406dn  |
|--------------------------------------|--|
| Network protocols                    | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0,<br>Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6<br>(Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3,<br>SSL Cert Management, IPSec (IKEv1 and IKEv2), Firewall, 802.1x |
| Security management                  | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers)  |
|                                      | Network: IPsec/firewall with certificate, pre-shared key, Kerberos authentication, supports WJA-10 IPsec configuration plug-in,<br>802.1x authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, certificates, access control list   |
|                                      | Data: Storage encryption, encrypted PDF and email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS<br>(HTTPS), encrypted credentials  |
|                                      | Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), intrusion detection (constant in-device monitoring for attacks), whitelisting (loads only known good code), embedded trusted platform module, HP Connection Inspec-<br>tor, security lock slot, USB port disablement   |
|                                      | Security management: Compatible with HP JetAdvantage Security Manager, device security syslog messages processed and<br>accessible in ArcSight and Splunk SIEMs  |
| Printer management                   | HP Printer Assistant, HP Web Jetadmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (part of HP Web<br>Jetadmin), HP WS Pro Proxy Agent (part of HP Web Jetadmin), Printer Administrator Resource Kit for HP Universal Print Driver<br>(Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator)   |
| Compatible operating<br>systems      | Windows Client OS (32/64 bit): Windows 10, Windows 8.1, Windows 7 Ultimate   |
|                                      | Mobile OS: iOS, Android  |
|                                      | Mac: Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15   |
|                                      | For more information on supported operating systems, see support.hp.com  |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2<br>64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint<br>server, Citrix Ready Kit Certification up to Citrix Server 7.18  |
|                                      | Citrix: for more information, see citrixready.citrix.com   |
|                                      | Linux: for more information, see developers.hp.com/hp-linux-imaging-and-printing   |
|                                      | Unix: for more information, see hp.com/go/unixmodelscripts   |
| System requirements, PC              | 2 GB available hard disk space, Internet connection or USB port, and Internet browser; for additional OS hardware requirements, see microsoft.com  |
| System requirements, Mac             | 2 GB available hard drive space, Internet connection or USB port, and Internet browser; for additional OS hardware requirements, see apple.com   |
| Dimensions (W x D x H)               | Minimum (all trays closed): 15 x 14 x 8.7 in (381 x 357 x 220 mm)<br>Maximum (printer fully opened): 15 x 30.8 x 9.5 in (381 x 781 x 241 mm)   |
| Weight (with cartridges)             | 18.7 lb (8.5 kg)   |
| What's in the box                    | HP LaserJet Enterprise M406dn printer; Original HP Black LaserJet Toner Cartridge (~3,000 pages);²6 getting started guide;<br>power cord   |
| Software included                    | No software solutions are included in the box; see hp.com or 123.hp.com  |
| Downloadable software                | From 123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac)   |
|                                      | From hp.com for Windows OS: Full-solution software and drivers, basic-solution software and drivers, HP PCL6 XPS discrete print driver, product documentation and support  |
|                                      | From hp.com for Mac OS: HP Mac OS Print Driver, HP Easy Admin  |
|                                      | For Mobile OS (iOS, Android): See hp.com/go/businessmobileprinting   |
|                                      | From hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility – Driver Deployment<br>Utility – Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, SAP Print Drivers, HP Web<br>Jetadmin, HP JetAdvantage Security Manager, HP Roam for Business, HPLIP Linux Printer Driver, Unix Model Script Printer Driver,<br>UPD PCL6 / PS Printer Drivers                                 |
| Warranty                             | One-year, on-site repair, 24-hour / 7-days-a-week phone support  |

### HP LaserJet Enterprise M406dn environmental specifications

|  | HP LaserJet Enterprise M406dn  |
|--|--|
| Environmental ranges                                   |  |
| Temperatures   | Recommended: 59 to 80.6°F (15 to 27°C)   |
|  | Operating: 59 to 90.5°F (15 to 32.5°C)   |
|  | Storage: -4 to 104°F (-20 to 40°C)   |
| Relative humidity (RH)                                 | Recommended: 30 to 70% RH  |
|  | Operating: 10 to 90% RH  |
| Acoustic power   | Ready mode: Inaudible  |
| emissions <sup>35</sup>                                | Active printing: 6.5 B(A) @ 38 ipm   |
| Acoustic pressure                                      | Ready mode: Inaudible  |
| emissions  | Active printing: 54 dB(A) @ 38 ipm   |
| Power specifications <sup>36</sup>                     | Blue Angel RAL-UZ 205; CECP; ENERGY STAR <sup>®</sup> certified; EPEAT <sup>®</sup> Silver <sup>37</sup>   |
| Power supply required                                  | 110-volt input voltage: 110 to 127 VAC (±10%), 60 Hz (±3 Hz)<br>220-volt input voltage: 220 to 240 VAC (±10%), 50/60 Hz (±3 Hz)  |
|  | (Not dual voltage, power supply varies by part number with # Option code identifier.)  |
| Power consumption <sup>38</sup>                        | 531 watts (active printing), 8.1 watts (ready), 1.2 watts (sleep), 0.07 watts (auto-off/manual-on), 0.07 watts (manual off)  |
| Typical Electricity<br>Consumption (TEC) <sup>39</sup> | 0.462 kWh/week (ENERGY STAR <sup>*</sup> 3.0); 1.189 kWh/week (Blue Angel)   |
| Energy-saving features                                 | HP Auto-On/Auto-Off Technology; Instant-On Copy; Instant-On Technology   |
| Environmental specifications                           | Mercury free   |
| Safety approvals and requirements                      | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN<br>60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62368-1:2014; EN 62368-1:2014;<br>Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada);<br>CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; compliance with laser safety standards 21 CFR 1040.10 and 1040.11 except for<br>deviations pursuant to laser notice No. 50, dated June 24, 2007; other safety approvals as required by individual countries |
| Electromagnetic<br>emission standard                   | CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A; other EMC approvals as required by individual countries  |

### HP LaserJet Enterprise MFP M430f technical specifications

| Product number                  | 3PZ55A  |
|---------------------------------|---|
|                                 | 4.3-inch (10.9 cm) color touchscreen  |
| Control panel                   |   |
| Print speed <sup>13</sup>       | Simplex (letter/A4): Up to 40/38 ppm (default); up to 42/40 ppm (HP High Speed)<br>Duplex (letter/A4): Up to 33/31 ipm  |
| Copy speed                      | Simplex (letter/A4): Up to 40/38 cpm<br>Duplex (letter/A4): Up to 33/31 cpm   |
| Scan speed <sup>14</sup>        | Simplex (letter/A4): Up to 31/29 ppm<br>Duplex (letter/A4): Up to 49/46 ipm   |
| First page out <sup>11,12</sup> | From ready mode (letter/A4): As fast as 6.3/6.5 seconds<br>From sleep mode (letter/A4): As fast as 8.6/8.8 seconds  |
| First copy out                  | From ready mode (letter/A4): As fast as 6.8/7.2 seconds<br>From sleep mode (letter/A4): As fast as 9.1/9.5 seconds  |
| Print resolution                | Up to 600 x 600 dpi (normal), up to 1200 x 1200 dpi (fine lines)  |
| Features                        |   |
| Printing                        | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB   |
| Scanning                        | Flatbed scanner up to 8.5 x 11.7 in (216 x 297 mm); ADF scanner up to 8.5 x 14 in (216 x 356 mm); optimize text/picture; image adjustments; job build; output quality setting; selectable scan resolution 75 to 600 dpi; auto detect color; edge erase; job notification; blank page suppression; HP Quick Sets; scan resolution up to 600 x 600 dpi  |
| Digital sending                 | Standard: Scan to Email; Save-to-Network Folder; Save-to-USB Drive; Send to FTP; Send to Internet Fax; Local Address Book;<br>SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop to Content; Compact PDF  |
|                                 | Optional: Authentication; Digital Fax (Send to LAN, Internet); HP Digital Sending Software (optional); Local Address Book; OCR  |
| Copying                         | Auto scale; reduce/enlarge from scanner glass (25 to 400 percent) or ADF (25 to 200 percent); collate; auto color detection; two-<br>sided copying; image adjustments (darkness, background cleanup, sharpness); job build; copy resolution up to 600 x 600 dpi   |
| Faxing                          | Fax speed up to 33.6 kbps; stored faxes; fax archiving; fax forwarding; scale to fit; fax address book; LAN/Internet fax; fax number confirmation; holiday fax schedule; fax resolution up to 203 x 98 dpi (standard); 203 x 196 dpi (fine); 300 x 300 dpi (best)   |
| Durability ratings              |   |
| RMPV <sup>32</sup>              | 900 to 4,800 pages  |
| RMSV                            | 900 to 4,800 pages  |
| Duty cycle                      | Up to 100,000 pages   |
| Media specifications            |   |
| Input capacity                  | Up to 350 sheets standard (100-sheet multipurpose tray, 250-sheet input tray)<br>Up to 900 sheets maximum (with optional 550-sheet tray)  |
| Output capacity                 | Up to 150 sheets  |
| Two-sided printing              | Automatic (default)   |
| Media sizes                     | <ul> <li>Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); custom: 3 x 5 to 8.5 x 14 in (76 x 127 to 216 x 356 mm)</li> </ul> |
|                                 | <ul> <li>Tray 2: letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); A4, RA4, A5, B5 (JIS), B6 (JIS), A6, 16K; custom: 4.1 x 5.8 to 8.5 x 14 in (105 x 148 to 216 x 356 mm)</li> </ul>   |
|                                 | <ul> <li>Tray 3 (optional): letter, executive, statement, 5 x 7, 5 x 8, double postcard (JIS); A4, RA4, A5, B5 (JIS), B6 (JIS), A6, 16K; custom: 4.1 x 5.8 to 8.5 x 14 in (105 x 148 to 216 x 356 mm)</li> </ul>  |
| Media weights                   | • Tray 1: 16 to 46.6 lb (60 to 175 g/m²)  |
|                                 | • Tray 2: 16 to 32 lb (60 to 120 g/m <sup>2</sup> )   |
|                                 | • Tray 3 (optional): 16 to 32 lb (60 to 120 g/m <sup>2</sup> )  |
| Media types                     | Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels   |
| Print languages                 | HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™   |

### HP LaserJet Enterprise MFP M430f technical specifications

|                          | HP LaserJet Enterprise MFP M430f   |
|--------------------------|--|
| Fonts                    | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in);<br>1 internal Unicode Font (Andale Mono World Type); 2 Internal Windows Vista 8 fonts (Calibri, Cambria); additional font solutions<br>available via third-party flash memory cards; HP LaserJet fonts and IPDS Emulation available at hp.com/go/laserjetfonts   |
| Connectivity             | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Fax   |
| Mobile printing          | HP ePrint; Apple AirPrint <sup>™</sup> ; Mopria <sup>™</sup> Certified; Wi-Fi Direct <sup>™</sup> Printing (optional); NFC Touch-to-print (optional); PrinterOn Print;<br>HP Roam for Business capable for easy printing <sup>31</sup>   |
| Network capabilities     | Yes, via HP Jetdirect Ethernet embedded print server (standard), which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az<br>(EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); second Ethernet<br>port (optional)   |
| Network protocols        | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0,<br>Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6<br>(Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3,<br>SSL Cert Management, IPSec (IKEv1 and IKEv2), Firewall, 802.1x |
| Security management      | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers)  |
|                          | Network: IPsec/firewall with certificate, pre-shared Key, Kerberos authentication, supports WJA-10 IPsec configuration plug-in,<br>802.1x authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, certificates, access control list   |
|                          | Data: Storage encryption, encrypted PDF and email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS<br>(HTTPS), encrypted credentials  |
|                          | Device: HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), intrusion detection (constant in-device<br>monitoring for attacks), whitelisting (loads only known good code), embedded trusted platform module, HP Connection<br>Inspector, security lock slot, USB port disablement  |
|                          | Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and<br>accessible in ArcSight and Splunk SIEMs  |
| Printer management       | HP Printer Assistant, HP Web Jetadmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (part of HP Web<br>Jetadmin), HP WS Pro Proxy Agent (part of HP Web Jetadmin), Printer Administrator Resource Kit for HP Universal Print Driver<br>(Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator)   |
| Compatible operating     | Windows Client OS (32/64 bit): Windows 10, Windows 8.1, Windows 7 Ultimate   |
| systems                  | Mobile OS: iOS, Android  |
|                          | Mac: Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15   |
|                          | For more information on supported operating systems, see support.hp.com  |
| System requirements, PC  | 2 GB available hard disk space, Internet connection or USB port, and Internet browser; for additional OS hardware requirements, see microsoft.com  |
| System requirements, Mac | 2 GB available hard drive space, Internet connection or USB port, and Internet browser; for additional OS hardware requirements, see apple.com   |
| Dimensions (W x D x H)   | Minimum (all trays closed): 16.5 x 15.3 x 12.7 in (420 x 390 x 323 mm)<br>Maximum (printer fully opened): 17.8 x 33 x 22.7 in (453 x 839 x 577 mm)   |
| Weight (with cartridges) | 28.68 lb (13.01 kg)  |
| What's in the box        | HP LaserJet Enterprise MFP M430f printer; Original HP Black LaserJet Toner Cartridge (~3,000 pages); <sup>26</sup> getting started guide;<br>power cord  |
| Software included        | No software solutions are included in the box; see hp.com or 123.hp.com  |
| Downloadable software    | From 123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac)   |
|                          | From hp.com for Windows OS: Full-solution software and drivers, basic-solution software and drivers, HP PCL6 XPS discrete print driver, product documentation and support  |
|                          | From hp.com for Mac OS: HP Mac OS Print Driver, HP Easy Admin  |
|                          | For Mobile OS (iOS, Android): See hp.com/go/businessmobileprinting   |
|                          | From hp.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility – Driver Deployment<br>Utility – Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, SAP Print Drivers, HP Web<br>Jetadmin, HP JetAdvantage Security Manager, HP Roam for Business, HPLIP Linux Printer Driver, Unix Model Script Printer Driver,<br>UPD PCL6 / PS Printer Drivers                                 |
| Warranty                 | One-year, on-site repair, 24-hour / 7-days-a-week phone support  |
| Warranty                 | One-year, on-site repair, 24-hour / 7-days-a-week phone support  |

### HP LaserJet Enterprise MFP M430f environmental specifications

|  | HP LaserJet Enterprise MFP M430f  |
|--|---|
| Environmental ranges                                   |   |
| Temperatures   | Recommended: 59 to 80.6°F (15 to 27°C)  |
|  | Operating: 59 to 90.5°F (15 to 32.5°C)  |
|  | Storage: -4 to 104°F (-20 to 40°C)  |
| Relative humidity (RH)                                 | Recommended: 30 to 70% RH   |
|  | Operating: 10 to 90% RH   |
| Acoustic power   | Ready mode: Inaudible   |
| emissions <sup>35</sup>                                | Active printing: 6.4 B(A) @ 38 ipm  |
|  | Active scanning: 6.0 B(A) @ 29 ipm  |
| Acoustic pressure                                      | Ready mode: Inaudible   |
| emissions  | Active printing: 54 dB(A) @ 38 ipm  |
|  | Active scanning: 48 dB(A) @ 29 ipm  |
| Power specifications <sup>36</sup>                     | Blue Angel DE-UZ 205; CECP; ENERGY STAR <sup>®</sup> certified; EPEAT <sup>®</sup> Silver <sup>37</sup>   |
| Power supply required                                  | 110-volt input voltage: 110 to 127 VAC (±10%), 60 Hz (±3 Hz)<br>220-volt input voltage: 220 to 240 VAC (±10%), 50/60 Hz (±3 Hz)<br>(Not dual voltage, power supply varies by part number with # Option code identifier.)  |
| Power consumption <sup>38</sup>                        | 525 watts (active printing), 10.1 watts (ready), 1.2 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off)  |
| Typical Electricity<br>Consumption (TEC) <sup>39</sup> | 0.463 kWh/week (ENERGY STAR); 1.222 kWh/week (Blue Angel)   |
| Energy-saving features                                 | HP Auto-On/Auto-Off Technology; Instant-On Technology; Instant-On Copy  |
| Environmental<br>specifications                        | Mercury free  |
| Safety approvals and requirements                      | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; IEC 62471:2006 / EN 62471:2008; IEC 62368-1:2014; EN 62368-1:2014; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/ cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; compliance with laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to laser notice No. 50, dated June 24, 2007; other safety approvals as required by individual countries |
| Electromagnetic<br>emission standard                   | CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries   |
| Telecom compliance certifications                      | Telecom Wired: FCC Rules and Regulations 47 CFR Part 68. ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2. Other Telecom approvals as required by individual countries   |

### Ordering information

| Products    | HP LaserJet Enterprise M406dn  | 3PZ15A |
|-------------|--|--------|
|             | HP LaserJet Enterprise MFP M430f   | 3PZ55A |
|             |  |        |
| Supplies    | Original HP 58A Black LaserJet Toner Cartridge (~3,000 pages) <sup>26</sup>                                    | CF258A |
|             | Original HP 58X High Yield Black LaserJet Toner Cartridge (~10,000 pages) <sup>26</sup>                        | CF258X |
| Accessories | HP LaserJet 550-Sheet Feeder Tray  | D9P294 |
|             | HP Jetdirect 3100w BLE/NFC/Wireless Accessory  | 3JN69A |
|             | HP Jetdirect LAN Accessory   | 8FP31A |
|             | HP Legic Reader  | 4QL32A |
|             | HP USB Universal Card Reader   | X3D03A |
|             | HP HIP2 Card Reader Accessory Kit  | 8ZN004 |
|             | HP HIP2 Keystroke Reader   | Y7C05A |
|             | HP SmartCard NIPRNet Solution for U.S. Government  | CC543B |
|             | M430f only   |        |
|             | HP Accessibility Assistant   | 2MU47/ |
|             | HP Accessibility Kit (includes HP prop handle for ADF lid, accessible keyboard, and Braille adhesives)         | 2TD644 |
|             | HP Foreign Interface Harness   | B5L31A |
| Solutions   | HP Web Jetadmin: hp.com/go/wja   |        |
|             | HP Universal Print Driver: hp.com/go/upd   |        |
|             | HP JetAdvantage Security Manager: hp.com/go/securitymanager  |        |
|             | HP LaserJet fonts, barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts                           |        |
|             | To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/printingsolu | tions  |

### Appendix A: Control panel features

#### Upgrade to a modern interface

The HP LaserJet Enterprise M406dn and MFP M430f are powered by HP FutureSmart firmware. The modern 2.7-inch (6.9 cm) color graphics display on the M406dn and 4.3-inch (10.9 cm) color touchscreen on the MFP M430f keep things simple and intuitive across your fleet of Enterprise devices. A scalable control panel interface improves future extensibility and allows for customization, along with a robust set of apps and usability features. You can even customize with your own wallpaper image and company logo. The new HP Message Center, with more detailed information and helpful animations, makes it easy to address device events. The simplified home screen displays just a few core apps by default. Additional apps are easily accessed on the MFP M430f by swiping right to left, like with a smartphone or tablet.

#### Edit jobs right at the MFP

The control panel on the MFP M430f series features an enhanced image preview—now for both copies and scans. You can preview and edit scans before sending them, right from the MFP's 4.3-inch (10.9 cm) color touchscreen. You can apply changes (like rotating) to a single page, or to multiple pages at once. Batch separation allows users to create separate PDF or PDF/A files from scanned pages.



You can start a **preview** prior to committing to the copy job



The new MFP user interface enables swipe, rotate, and

drag-and-drop capabilities

- 1. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims.
- 2. Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- 3. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.
- 4. Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity.
- 5. Use of the HP Trusted Platform Module may require a firmware upgrade.
- 6. Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device.
- 7. HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- 8. HP JetAdvantage Secure Print works with any network-connected printer or MFP. On-device authentication is available for many HP LaserJet, PageWide, and OfficeJet Pro devices and selected non-HP devices. Some devices may require a firmware upgrade. Internet connection required for cloud storage and retrieval of print jobs. Print job release from a mobile device requires a network connection and QR code. For more information and a list of supported printers and MFPs, see hp.com/go/JetAdvantageSecurePrint.
- 9. Color access control capabilities vary from device to device.
- 10. The HP Universal Print Driver is available for download at no additional charge at hp.com/go/upd.
- 11. First page out in ready mode measured using ISO/IEC 17629. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 12. First page out in sleep mode measured after 15 minutes in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep.
- 13. Print speed measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. HP High Speed may require firmware upgrade to enable.
- 14. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- 15. Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- 16. Default duplex printing dependent upon country setup specifications.
- 17. HP Auto-On/Auto-Off Technology capabilities subject to printer and settings. Firmware upgrade required.
- 18. HP LaserJet products with Instant-On Technology use an innovative, quick-heating fuser system that warms rapidly and cools quickly, helping you conserve energy compared with products that use traditional fusing.
- 19. HP Planet Partners program availability varies. For more information, visit hp.com/recycle.
- 20. Based on the reduced energy use of HP LaserJet printers and cartridges with JetIntelligence introduced since 2015 compared to previous HP toner versions without JetIntelligence, using ENERGY STAR methodology.
- 21. High-yield cartridges are not included in printer purchase; purchase separately.
- 22. 100% of Original HP Toner cartridges contain between 5% and 45% post-consumer or post-industrial recycled content. Does not include toner bottles. See hp.com/go/recycledcontent for list.
- 23. An HP printing system consists of HP printer, HP paper, and Original HP supply. Blue Angel DE-UZ 205 emissions criteria or earlier versions applicable when printing system launched.
- 24. HP Office-class printing systems include Enterprise-class devices with FutureSmart firmware 4.5 or above, Pro-class devices, and their respective Original HP toner, PageWide, and ink cartridges. Does not include HP integrated printhead ink cartridges. See h20195.www2.hp.com/v2/GetDocument. aspx?docname=4AA6-8438ENW and hp.com/go/SuppliesSecurityClaims.
- 25. Digital supply-chain tracking, hardware, and packaging security features vary locally by SKU.
- 26. Average declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details, see hp.com/go/toneryield.
- 27. Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.
- 28. Wireless direct printing can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). For details, see hp.com/go/ businessmobileprinting.
- 29. NFC touch-to-print is optional and can be added with purchase of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). Mobile device must support Near Field Communication (NFC)—enabled printing. For more information, see hp.com/go/businessmobileprinting.
- 30. Wireless operations are compatible with 2.4GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at hp.com/go/mobileprinting.
- 31. To enable HP Roam for Business, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com.
- 32. HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 33. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct–supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting.
- 34. An administrator must enable the easy-access USB port before use.
- 35. Configuration tested: base model, simplex printing, A4 paper at an average of 27 ipm (M406dn) or 24 ipm (M430f).

- 36. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ENERGY STAR value typically based on measurement of 115V device and 230V for Blue Angel.
- 37. EPEAT registered where applicable. EPEAT registration varies by country. See epeat.net for registration status by country.
- 38. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 39. Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during one week, measured in kilowatt-hours (kWh).

#### Sign up for updates hp.com/go/getupdated

Apple and AirPrint are trademarks of Apple Inc., registered in the United States and other countries. Bluetooth is a trademark owned by its proprietor and used by HP under license. ENERGY STAR is a registered mark owned by the U.S. Environmental Protection Agency. Google, Android, and Chrome are trademarks of Google Inc. Microsoft, Windows, and SharePoint are registered trademarks of Microsoft Corporation in the United States and/or other countries. Mopria is a trademark of Mopria Alliance Inc. Wi-Fi and Wi-Fi Direct are registered trademarks of Wi-Fi Alliance. All other trademarks are the property of their respective owners.



<sup>©</sup> Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.