# HP LaserJet Enterprise MFP M630 series



Full-featured Flow MFP that streamlines digital workflow and safeguards business information.

A full-featured HP Enterprise Flow MFP that streamlines digital workflow with advanced HP Flow solutions, safeguards business data and documents with a robust suite of top-flight security features, and offers simple, efficient mobile printing.



(HP LaserJet Enterprise MFP M630h)



(HP LaserJet Enterprise MFP M630f)



(HP LaserJet Enterprise Flow MFP M630z)

# Powerful performance to enhance workflow

- Finish faster—without missing a page—using single-pass, dual-head scanning, and the automatic document feeder.
- Increase efficiency and streamline workflow with a suite of HP Flow MFP features and scanning solutions.
- Easily tackle large jobs with a standard paper capacity of up to 3,100 sheets, and paper-finishing options.
- Quickly troubleshoot problems with cloud-based help services that are relevant and up to date.<sup>1</sup>

# Protecting your business—now and in the future

- Safeguard and manage your printing with the HP Imaging and Printing Security Center and HP Web Jetadmin.<sup>2</sup>
- Confidently safequard the sensitive data sent to your MFP with the encrypted hard drive.
- Depend on this MFP for easy solutions as technologies advance.
- Safeguard security keys, passwords, and certificates with the HP Trusted Platform Module.<sup>3</sup>

# Quick and easy mobile printing<sup>4</sup>

- Enable optional touch-to-print and touch-to-authenticate convenience from mobile devices.<sup>5</sup>
- Enable secure peer-to-peer direct-access mobile printing without connecting to the corporate network.<sup>6</sup>
- Print on the go from your smartphone, tablet, and notebook with HP ePrint<sup>7</sup> and AirPrint™.8

<sup>2</sup> HP Web Jetadmin is free and available for download at <u>hp.com/qo/webjetadmin</u>.
<sup>3</sup> Use of the optional HP Trusted Platform Module accessory may require a firmware upgrade

<sup>&</sup>lt;sup>1</sup> Online help must be enabled on the printer or MFP. Mobile device must have an Internet connection to access online services.

<sup>&</sup>lt;sup>4</sup> Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <a href="https://doi.org/no.

Fedgrap partials or option module. For a list of support near field communications-enabled printing. For a list of supported devices, see <a href="https://px.com/qo/businessmobileprinting">https://px.com/qo/businessmobileprinting</a>.

<sup>&</sup>lt;sup>6</sup> Wireless direct printing requires purchase of optional module. Mobile device needs to be connected directly to the WiFi network of a wireless-direct capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see <a href="https://doi.org/10.000/businessmobileprinting.">https://doi.org/10.000/businessmobileprinting.</a>

Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.

# **Product walkaround**

- 1 Intuitive 20.3 cm (8-inch) touchscreen control panel
- 2 100-sheet automatic document feeder (ADF) with single-pass, two-sided scanning and HP EveryPage and ultrasonic multi-feed detection
- 3 Hardware Integration Pocket (for connecting accessory and third-party devices)
- 4 Easy access USB port to save and print files directly
- 5 900-sheet, 3-bin stapling mailbox accessory
- 6 Pull-out keyboard for easy, accurate data entry
- 7 100-sheet multipurpose tray
- 8 On/off button
- 9 500-sheet input tray
- 10 Lower-right door (access for clearing jams)
- 11 2 x 500-sheet and 1,500-sheet paper feeder with stand
- 12 Built-in automatic duplexer
- 13 Access port for optional Kensington-style lock
- 14 800 MHz processor, 1.5 GB RAM
- 15 HP High-Performance Secure Hard Disk
- 16 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 17 Hi-Speed USB 2.0 printing port
- 18 HP Jetdirect Gigabit Ethernet print server
- 19 Foreign interface harness (for connecting external devices)
- 20 Fax port

# HP LaserJet Enterprise Flow MFP M630z shown



# Series at a glance







Model	MFP M630h	MFP M630f	Flow MFP M630z
Part number	J7X28A	B3G85A	BG386A
100-sheet multipurpose tray, 500-sheet tray 2	✓	✓	<b>√</b>
500-sheet tray and cabinet with stand¹	Optional	✓	
2 x 500-sheet and 1,500-sheet paper feeders with stand	Optional		1
500-sheet input tray¹	Optional		
900-sheet, 3-bin stapling mailbox	Optional	Optional	<b>✓</b>
HP LaserJet envelope feeder	Optional	Optional	Optional
Fax	Optional	<b>✓</b>	<b>√</b>
HP High-Performance Secure Hard Disk	✓	<b>✓</b>	<b>√</b>
100-page ADF with single-pass, two-sided scanning	✓	✓	✓ (Plus HP EveryPage)
Advanced workflow capabilities	Not available	Not available	<b>√</b>
Touch-to-print/authenticate and wireless direct	Optional	Optional	Optional

 $<sup>^{\</sup>scriptscriptstyle 1}\,$  Only one paper input option can be installed at a time.

# **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

**Optimized Care (optimum performance and stability)**: 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Standard Care (high level of uptime)**: Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care (minimum recommended support)**: Next Business Day Onsite Support

**4 hr Onsite Support**: Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support**: Onsite service the next business day after the service call is received

## **Maintenance Kit Replacement Service:**

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

**Installation with Network Configuration Service**: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

# **Top Features**

Ramp up productivity, and keep work moving fast. This HP Flow MFP powers through tasks with super-fast scan speeds, and streamlines workflow with a robust HP Flow feature set.

Achieve comprehensive control of the information that matters most to your business—and manage MFP security settings with ease. Safeguard data, documents, and the MFP with a suite of more than 100 embedded and optional security features.

Keep working on pressing business demands—even when out of the office. Simple mobile printing from smartphones, tablets, and laptops saves time and helps keep business moving at top speed.<sup>1</sup>

HP LaserJet 2x500-sheet, 1,500-sheet HCl feeder with stand

۲ľ	oa	uct	

J7X28A	HP LaserJet Enterprise MFP M630h
B3G85A	HP LaserJet Enterprise MFP M630f
B3G86A	HP LaserJet Enterprise Flow MFP M630z

### Accessories

B3M75A

ACCESSOLIES	E5	
B3M73A	HP LaserJet 500-sheet Paper Tray	
R3M74A	HP Laser let 1x500-sheet paper feeder with cabinet	

B3M76A HP 900-sheet, 3-bin stapling mailbox B3G87A HP LaserJet Envelope Feeder

CC487A HP LaserJet MFP Analog Fax Accessory 500
J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server<sup>2</sup>
J8026A HP Jetdirect 2700w USB Wireless Print Server<sup>2</sup>
J8029A HP Jetdirect 2800w NFC/Wireless Direct Accessory

A7W12A HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese

F5S62A HP Trusted Platform Module Accessory

B3G84-67909 2 GB Memory DIMM Kit

### Supplies<sup>3</sup>

CF281A	HP 81A Black Original LaserJet Toner Cartridge (10,500 yield)
CF281X	HP 81X High Yield Black Original LaserJet Toner Cartridge (25,000 yield)

### **HP Care Packs**

U17T9F

U1ZU0E	HP 3-year 4-hour 13x5 LaserJet M630 MFP Hardware Support
U1ZU5E	HP 3-year Next business day + Defective Media Retention LaserJet M630 MFP Support
U1ZU6E	HP 4-year Next business day + Defective Media Retention LaserJet M630 MFP Support
U1ZU7E	HP 5-year Next business day + Defective Media Retention LaserJet M630 MFP Support

HP 3-year 4-hour 9x5 LaserJet M630 MFP Hardware Support

### Paper

Contact HP via phone: Asia: 65 6253 8500

## **Solutions**

HP Web Jetadmin: <a href="hp.com/go/wja">hp.com/go/wja</a>
HP Universal Print Driver: <a href="hp.com/go/upd">hp.com/go/upd</a>

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Fonts, Barcodes, and IPDS Emulation available at hp.com/go/laserjetfonts

To learn more about available infrastructure, management, and workflow solutions, visit hp.com/go/gsc

<sup>&</sup>lt;sup>1</sup> Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <a href="hp.com/go/mobileprinting">hp.com/go/mobileprinting</a> for more details. Some features require purchase of optional module.

<sup>&</sup>lt;sup>2</sup> HP Jetdirect 2800w (J8029A) and HP Jetdirect 2700w (J8026A) accessories cannot be installed at the same time.

<sup>&</sup>lt;sup>3</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies.

# **HP LaserJet Enterprise MFP M630 series**

AlO functions  Print  Duplex print options  Print speed¹  First page out²  Print resolution  Print technology  Print cartridges number  Mobile printing capability³  Standard print languages  Printer management	Print, copy, scan, digital send, print from Easy Access USB, scan to Easy Access USB; <b>AIO multitasking supported:</b> Yes <b>Black (best):</b> Up to 1200 x 1200 dpi	Print, copy, scan, fax, digital send, print from Easy Access USB, Easy Access USB, AlO multitasking supported: Yes  Automatic (standard)  Black (normal, A4): Up to 57 ppm; Black (normal, letter): Up to 6  Black (ready): As fast as 8.5 sec  Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi	from Easy Access USB, scan to Sharepoint; AiO multitasking supported: Yes	
Duplex print options  Print speed¹  First page out²  Print resolution  Print technology  Print cartridges number  Mobile printing capability³  Standard print languages	<b>Black (best):</b> Up to 1200 x 1200 dpi;	Black (normal, A4): Up to 57 ppm; Black (normal, letter): Up to 6 Black (ready): As fast as 8.5 sec	7	
Print speed¹  First page out²  Print resolution  Print technology  Print cartridges number  Mobile printing capability³  Standard print languages	<b>Black (best):</b> Up to 1200 x 1200 dpi	Black (normal, A4): Up to 57 ppm; Black (normal, letter): Up to 6 Black (ready): As fast as 8.5 sec	0 ppm	
First page out <sup>2</sup> Print resolution Print technology Print cartridges number Mobile printing capability <sup>3</sup> Standard print languages	<b>Black (best):</b> Up to 1200 x 1200 dpi;	Black (ready): As fast as 8.5 sec	0 ppm	
Print resolution Print technology Print cartridges number Mobile printing capability <sup>3</sup> Standard print languages	<b>Black (best):</b> Up to 1200 x 1200 dpi;			
Print technology Print cartridges number Mobile printing capability <sup>3</sup> Standard print languages	Black (best): Up to 1200 x 1200 dpi.	Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi		
Print cartridges number  Mobile printing capability <sup>3</sup> Standard print languages			with HP Resolution Enhancement technology	
Mobile printing capability <sup>3</sup> Standard print languages		Laser		
Standard print languages		1 (black)		
	HP ePrint, Apple AirPrint™	M, Mobile Apps, optional Touch to Print, optional Wireless Direct printin	ng, optional Touch to Authenticate	
Drinter management	HP PCL 6, HP PCL 5 (HP PCL 5 de	river available from the Web only), HP postscript level 3 emulation, na	itive PDF printing (v 1.7), Apple AirPrint™	
Printermanagement		HP Web Jetadmin; HP Utility (Mac)		
Scan		<u> </u>		
Scan type/technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)  Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)			
C	HP EveryPage Technology			
Scan speed <sup>4</sup>	Normal, A4: Op to 60 ppm (b&w), up to 45 ppm (colour	); Normat, letter: up to 60 ppm (b&w), up to 45 ppm (colour)	Normal, A4: Up to 62 ppm (b&w), up to 60 ppm (colour); Normal, letter: Up to 65 ppm (b&w), up to 63 ppm (colour)	
Scan resolution	H	ardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi; Enhanced: Up	to 600 dpi	
Scan file format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (DCR), Unicoc TEXT (DCR), RTF (DCR), Searchable PDF (DCR), Searchable PDF/A (DCR), HTML (DCR), CSV (DCR), Scan to easy access USB: PDF, JPEC TIFF, MTIFF, XPS, PDF/A, TEXT (DCR), Unicode TEXT (DCR), RTF (DCR Searchable PDF (DCR), Searchable PDF/A (DCR), HTML (DCR), CSV (DCR)	
Scan input modes	Front panel applications: Copy, E-n	nail, Save to Network Folder, Save to USB, Save to Device Memory, Op	en Extensibility Platform (OXP) applications	
Scan size maximum		<b>Flatbed, ADF:</b> 216 x 356 mm (8.5 x 14 in)		
Bit depth/Grayscale levels		Bit Depth: 24-bit; Grayscale: 256		
Сору				
Copy speeds		Black (normal, A4): Up to 57 cpm; Black (normal, letter): Up to 6	0 cpm	
Copy resolution	Black (text & graphics): Up to 600 x 6	600 dpi (Flatbed), 300 x 600 dpi (ADF); <b>Colour (text &amp; graphics):</b> Up	to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)	
Max no of copies		Up to 9,999 copies		
Copier resize		25 to 400%		
Copier settings	Two-Sided copying: Scalability: Image adjustments (darkness.	contrast, background cleanup, sharpness); N-up; N or Z-ordering conte	nt orientation: Collation: Booklet: Job build: Edge-to-edge: Job storage	
Fax				
Fax speed	NA	3	sec per page	
Fax resolution	NA NA		200 dpi, 256 levels of grav: <b>Black Photo Gravscale:</b> 300 x 300 dpi (400 x 40	
		dpi for received faxes only); Black and W	Thite (superfine): 300 x 300 dpi, 256 levels of gray	
Fax features	NA Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax form supported: Yes; Maximum speed dialing numbers: Up to 100 (each can contain 100) numbers!, PE (Interf			
Connectivity				
Standard connectivity	Hi-Speed USB 2.0 port; built-in Gigabit Ethernet 10/100/1000Base-TX network port	Hi-Speed USB 2.0 port; built-in Gigabit	Ethernet 10/100/1000Base-TX network port; Fax	
Network ready	network port	Standard (built-in Gigabit Ethernet)		
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which		ort on Gigabit Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless	
Wireless capability	networking (optional). Please note:	HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) acces	ssories cannot be installed at the same time. eless Print Server J8021A; Wireless direct and NFC enabled with purchase of	
Memory		1.5 GB (System Memory)		
Processor speed		800 Mhz		
Duty cycle (monthly) <sup>6</sup>	Up to	250,000 pages; <b>Recommended monthly page volume:</b> 5,000 to 2	28,000 pages	
Paper handling	· ·			
Input	automatic document feeder	100-sheet multipurpose tray, two 500-sheet input trays, 100-sheet automatic document feeder	100-sheet multipurpose tray, three 500-sheet input trays, one 1,500-sheet input tray, 100-sheet automatic document feeder	
Output	500-sheet o	·	900-sheet stapler stacker	
Media type	Paper (plain, light, bond, recycled, heavy, extra heavy, o	cardstock, pre-printed, pre-punched, colored, rough, heavy rough), m	ono transparency, labels, letterhead, envelope, heavy envelope	
Media weight		60 to 120 g/m² (16 to 32 lb)		
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm;	Tray 1: 76 x 127 to 216 x 356 mm;	Tray 1: 76 x 127 to 216 x 356 mm;	
ADF capacity	<b>Tray 2:</b> 148 × 210 to 216 × 356 mm	<b>Trays 2, 3:</b> 148 x 210 to 216 x 356 mm Standard, 100 sheets	<b>Trays 2, 3, 4:</b> 148 x 210 to 216 x 356 mm	
Dimensions (W x D x H)	737 x 643 x 570 mm (29 x 25.3 x 22.4 in)  Max: 995 x 643 x 599 mm (39.2 x 25.3 x 23.6 in) with multipurpose tray and output bin fully extended	737 x 643 x 1110 mm (29 x 25.3 x 43.7 in)  Max: 995 x 643 x 1142 mm (39.2 x 25.3 x 45 in) with multipurpose tray and output bin fully extended	911 x 643 x 1110 mm (35.9 x 25.3 x 43.7 in)  Max: 1191 x 757 x 1142 mm (46.9 x 29.8 x 45 in) with multipurpose tray, keyboard and output bin fully extended	
Weight	51.6 kg	tray and output biri fully extended 51.6 kg	91.2 kg	
What's in the box	HP LaserJet Enterprise MFP M630h; Black print cartridge; CD(s) with software and documentation; Getting Started Guide; Power cord	HP Laser Jet Enterprise MFP M630f; Black print cartridge; CD(s) with software and documentation; Getting Started Guide;	HP LaserJet Enterprise Flow MFP M630z; Black print cartridge; CD(s) with software and documentation; Getting Started Guide; Power cord;	
Warranty features		Power cord; Telecom cable One-year, onsite warranty	Telecom cable; Keyboard overlay kit	
Systems		, ,		
	Windows XP (SP3) (32-bit), Windows XP (SP3) (64-bit), Windows 7 (Including Starter Edition 32-bit), Windows 7 (Including Starter Edition 64-bit), Windows 8 (Including Starter Edition 32-bit), Windows 8 Basic (32-bit), Windows 8 Basic (32-bit), Windows 8 Basic (32-bit), Windows 8 Basic (34-bit), Windows 8 Basic (34-bit), Windows 8 Enterprise (34-bit), Windows 9 Enterpris			
Compatible operating systems	Red Hat Enterprise Linux 5.0 (supported v	PC: Windows full software installs supported on: Windows 8 & 8.1 (32/64-bit), Windows V 37 (32/64-bit), Windows V 513 (32/64-bit), Windows V 73 -2-bit (SP2 or higher); Mac full software installs: 05 X 10.7 Mayerick; Mobile OS native print support: 105, Android, Windows 8 RT; Other OS software support: Debian (S.D., 50.1, 5.0.2, 5.0.3) Supported by the automatic installer; Fedora (9, 9.0, 10, 10.0, 11.0, 11.1, 2, 12.0), HPUX 11 and Solaris 8/9, Linux (9.4, 9.9), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.1), 10.1, 0.04): CD-ROW or DVD drive or Internet connection: Dedicates on connection or Windows (10.5) or network of connection or Windows (10.5) or network of connections or Windows (10.5) or network of connections or Windows (10.5) or network of connection or Windows (10.5) or Network (10.5) o		
-	PC: Windows full software installs supported on: Window OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mayerick; Mobile Fedora (9, 9.0, 10, 10.0, 11.0, 11., 12.0), HPUX 11 and Solaris 8/5 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVD Marci.	is 8.8.8.1 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64- 35 native print support: iOS, Android, Windows 8 RT; Other OSs driver 1, Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre- drive, or Internet connection; Dedicated USB or network connection of IS X 10.7 Lino IOS X 10.8 Mountain Lino IOS X 10.9 Mayericks: Interpre-	support: Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installel built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, or Wireless connection; 200 MB available hard disk space; t: USB: 1 GB HD	
Compatible operating systems  Minimum system requirements	PC: Windows full software installs supported on: Window S v10.7 Lion, OS v10.8 Mountain Lion, OS v10.8 Moures(s; Mobile (Fedora (9, 9.0, 10, 10.0, 11.0, 11.1, 2, 12.0), HPUX 11 and Solaris (8). 0.4.2, 8.10, 9.04, 9.10, 10.04; ICD-ROM or DVD Mact;  Operating temperature range: 15 to 32.5° C (59	s 8 8.8.1 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64- 5) native print support: IOS, Android, Windows 8 RT; Other OSs driver of drive, or Internet connection; Dedicated US8 or network connection or ISX 1.07 Lion, OS X 1.0.8 Mountain Lion, OS X 1.0.9 Mavericks; Interne 9.05.5°; P. Geommended opporating temperature: 15 to 27° (59)	support: Debian (S.0, S.0.1, S.0.2, S.0.3) (supported by the automatic installer built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, or Wireless connection; 200 MB available hard disk space; I; USB: 1 GB HD: 08.06°F); Non-operating humidity range: 10 to 90% RH;	
Compatible operating systems  Minimum system requirements  Environmental ranges	PC: Windows full software installs supported on: Window 05 X 10.7 Lion, 05 X 10.8 Mountain Lion, 05 X 10.9 Movericks; Mobile ( Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), HPUX 11 and Solaris [4]; 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVD Mac: C Operating temperature range: 15 to 32.5° C (59 to Operating temperature range: 15 to Operature range: 15 to Ope	is 8 & 8.1 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64- 5) native print support: IOS, Android, Windows B RT: Other OSs driver 9. Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre- drive, or Internet connection; Dedicated USB or network connection of ISX 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavenicks; Interne- 0 90.5* P; Recommended operating temperature: 15 to 27* C (59) umidity range: 10 to 80% RH; Recommended operating humidity	support: Debian (S.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installe- built package), SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Ubuntu (8.04, 8.04.1, r) Wireless connection; 200 MB available hard disk space; LUSB: 1GBH (F); Non-operating humidity range: 10 to 90% RH; range: 30 to 70% RH	
Compatible operating systems  Minimum system requirements  Environmental ranges  Acoustic	PC: Windows full software installs supported on: Window 05 X 10.7 Lion, 05 X 10.8 Mountain Lion, 05 X 10.9 Mourcks; Mobile ( Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), HPUX 11 and Solaris (8), 8.04.2, 8.10, 9.04, 9.10, 10.04); CD-ROM or DVD Mact C  Operating temperature range: 15 to 32.5° C (59 to 0.0 to	s 8 & 8.1 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), So native print support: IOS, Android, Windows 8 RT; Other OSs driver 9, Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-drive, or Interpret connection; Dedicated US8 or network connection 15 X 1.0.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks; Interpres 90.5 Ft); Recommended operating temperature: 15 to 27° (C59) umidity range: 10 to 80% RH; Recommended operating humidity coustic power emissions (ready): 4.2 Bit), Acoustic Pressure Emit Acoustic pressure emissions (ready): 4.2 Bit), Acoustic Pressure Emit Acoustic pressure emissions (rout of 10 TeV 10 Kc (4/-10%) er supply required: 110-volt input voltage: 10 to 1 to 17 VA (4/-10%)	support: Debian (S.O., S.O.1, S.O.2, S.O.3) (supported by the automatic installe built package), SUSE Linux (10.3, 110.1, 11, 11, 11, 11, 12), Ubuntu (8.04, 8.04.1, t.) or Wireless connection; 200 MB available hard disk space; LUSB: 1GBH (10.1) or Wireless connection; 200 MB available hard disk space; LUSB: 1GBH (10.1) or Wireless (10.1) or Wireless (10.1) or Wireless (10.1) or 90% RH; tange; 20 to 70% RH; tange; 70% RH; tang	
Compatible operating systems	PC: Windows full software installs supported on: Window 05 X 10.7 Lion, 05 X 10.8 Mountain Lion, 05 X 10.9 Movericks, Mobile ( Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), HPUX 11 and Solaris I8/F  Redora (9, 9.0, 10, 10.0, 11.0, 11.0, 12.1, 12.1, 12.0), HPUX 11 and Solaris I8/F  Macci  Operating temperature range: 15 to 32.5° C (59 t  Operat	is 8 & 8.1 (32/64-bit), Windows 7 (32/64-bit), Windows Vista (32/64-bit), So native print support: IOS, Android, Windows 8 RT; Other OSs driver 9, Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a predrive, or Interpret connection; Dedicated USb or network connection 15 X 1.0.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks; Interpres 90.5° Ft; Recommended operating temperature: 15 to 27° (C59) umidity range: 10 to 80% RH; Recommended operating humidity coustic power emissions (ready): 4.2 Bit), Acoustic Pressure Emit Acoustic pressure emissions (ready): 4.2 Bit), Acoustic Pressure Emit Acoustic pressure and South Production (4/-10%) or supply required: 110-volt input voltage: 10 to 1 to 17 VAC (4/-10%) or supply varies by part number with # Option code identifier); Power fanual Off). 1.60 watts (Auto-Off/Wake on LAN), 0.1 watts (Auto-Off/Wake)	support: Debian (S.0, S.0.1, S.0.2, S.0.3) (supported by the automatic installe- built package), SUSE Linux (10.3, 110.1, 11, 11, 11, 11, 11, 11, 11, 11, 11,	

- MFPs to satisfy the demands of connected individuals or groups.

  HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

# To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty.

HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Red Hat is a registered trademark of Red Hat, Inc. in the United States and other countries. PostScript is a trademark of Adobe Systems Incorporated.



Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <a href="https://printerclaims.">https://printerclaims.</a> Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Bear Isolated Parint: Requires an Internet connection to the printer. Feature works with any connected Internet: and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see https://printerriter. Printer Printer Printers. Printer Printers. Printer Printers. Printer Printers. Printers purchase of optional HP Jetdineter 2800 w USB Printers. Printer Printers. Printers Printers. Printers. Printers. Printers Printers. P