

Family Data sheet

HP LaserJet Enterprise MFP M725 series



M725dn • M725f • M725z



(HP LaserJet Enterprise MFP M725dn shown)

HP LaserJet Enterprise MFP M725 series



HP LaserJet Enterprise MFP M725z

Enable large-volume printing on a wide range of paper sizes—up to A3—with a 4,600-sheet maximum input capacity.² Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Top features

Expand your options with sharp A3 printing

- Empower your teams to do more—print, scan, copy, and fax¹ on paper sizes up to A3—from a desktop-sized MFP.
- Stay focused on work—paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.^{2,4}
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.⁵
- Print what you need, even on the go—from your smartphone or tablet—using HP ePrint³ or Apple Airprint™.⁶

Quicken your business pace

- Streamline tasks—print, scan, copy, and fax² projects directly at the MFP's large colour touchscreen.
- Save time by launching one-touch workflows with HP Quick Sets.
- Get just the results you need—using touchscreen controls to preview, edit, and reorder scans at the device.
- Easily send scanned files to a fax, folder, email, or USB. Print right from a memory device via the USB port.

Manage and protect your fleet for the long run


- Simplify fleet management using world-class tools such as HP Web Jetadmin,⁷ and reliably safeguard devices.
- Safeguard data—at rest or in transit—with an encrypted hard drive, user authentication, and security features.
- Add security tools—such as card and badge readers—via the hardware integration pocket.⁸
- Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

Help save energy and reduce environmental impact

- Reduce energy use with HP Auto-On/Auto-Off Technology,⁹ and conserve power with Instant-on Technology.¹¹
- Use optional HP EcoSMART Fleet to easily create and manage environmental printing policies and practices.¹⁰
- Conserve resources and save paper—use automatic two-sided printing.
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners.¹²

¹ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn. ² Maximum paper capacity of 4,600 sheets requires the purchase of optional paper tray accessories. ³ Requires an Internet connection to HP web-enabled printer and HP ePrint accounts registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades. ⁴ High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725. ⁵ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f. ⁶ Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. ⁷ HP Web Jetadmin is free and can be downloaded at hp.com/go/webjetadmin. ⁸ Solutions deployed through the hardware integration pocket may require additional purchase. ⁹ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade. ¹⁰ HP EcoSMART Fleet must be purchased separately. ¹¹ Compared with products that use traditional fusing. ¹² Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: hp.com/recycle.

HP LaserJet Enterprise MFP M725z shown



- 1 100-sheet automatic document feeder
- 2 Intuitive 8-inch pivoting color touchscreen control panel with FutureSmart firmware and scan preview
- 3 Hardware integration pocket (HIP) for solution integration
- 4 Easy-access USB port to save and print files directly
- 5 In-line stapler with 500-sheet output bin
- 6 Built-in automatic two-sided printing
- 7 Two 250-sheet input trays, one supporting up to legal and one supporting up to ledger/A3
- 8 3 x 500-sheet feeder with cabinet and stand
- 9 250-sheet output bin
- 10 Side door allows convenient access to the all-in-one HP print cartridge
- 11 100-sheet multipurpose tray 1 supports a wide variety of paper sizes and types
- 12 800 MHz processor, 1 GB standard memory
- 13 Two internal USB Host ports (for connecting third party devices)
- 14 HP High-Performance Secure Hard Disk
- 15 Fax port
- 16 Foreign Interface port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Hi-Speed USB 2.0 device port
- 19 Hi-Speed USB 2.0 Host port

Series at a glance



	M725dn MFP	M725f MFP	M725z MFP
Part number	CF066A	CF067A	CF068A
Gigabit Ethernet networking	Yes	Yes	Yes
Automatic two-sided printing	Yes	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes
2 x 250-sheet trays 2 and 3	Yes	Yes	Yes
500-sheet tray¹	Optional	Yes	Not available
500-sheet feeder with cabinet and stand¹	Optional	Yes	Not available
3 x 500-sheet feeder and stand¹	Optional	Not available	Yes
500-sheet in-line stapler	Not available	Not available	Yes
HP High-Performance Secure Hard Disk	Yes	Yes	Yes
Fax	Optional	Yes	Yes
ENERGY STAR® qualified	Yes	Yes	Yes

¹ Up to 6 input trays are supported on the M725dn model, including the multipurpose tray and the standard 2 x 250-sheet trays. (The 3 x 500-sheet trays and stand counts for 3 trays; the 3,500-sheet HCI feeder and stand counts for 2 trays.) The 500-sheet tray is not stackable.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hr Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service: Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Product at a glance

Printers

HP LaserJet Enterprise 700 MFP M725dn	CF066A
HP LaserJet Enterprise 700 MFP M725f	CF067A
HP LaserJet Enterprise 700 MFP M725z	CF068A

Toner Cartridges

HP 14A Black LaserJet Toner Cartridge (10,000 pages)	CF214A
HP 14X Black LaserJet Toner Cartridge (17,500 pages)	CF214X

Accessories

HP LaserJet 500-sheet Feeder and Tray	CF239A
HP LaserJet 1 x 500-sheet Paper Feeder with Cabinet and Stand	CF243A
HP LaserJet 3 x 500-sheet Feeder and Stand	CF242A
HP LaserJet 3500-sheet HCI Feeder and Stand	CF245A
HP Staple Cartridge Refill	C8091A
HP 200-pin DDR2 512 MB x64 DIMM	CF306A
HP LaserJet MFP Analog Fax Accessory 500	CC487A
110V Fuser Kit	CF249A
220V Fuser Kit	CF254A

HP Care Pack

HP 3-year Next Business Day LaserJet M725 MFP HW Support	U7A05E
HP 4-year Next Business Day LaserJet M725 MFP HW Support	U7A06E
HP 5-year Next Business Day LaserJet M725 MFP HW Support	U7A07E
HP 3-year 4 hour 9x5 LaserJet M725 MFP HW Support	U7A08E
HP 3-year 4 hour 13x5 LaserJet M725 MFP HW Support	U7A09E
HP 4-year 4 hour 9x5 LaserJet M725 MFP HW Support	U7A10E
HP 4-year 4 hour 13x5 LaserJet M725 MFP HW Support	U7A11E
HP 5-year 4 hour 9x5 LaserJet M725 MFP HW Support	U7A12E
HP 5-year 4 hour 13x5 LaserJet M725 MFP HW Support	U7A13E
HP 1-year Post Warranty Next Business Day LaserJet M725 MFP HW Support	U7Y72PE
HP 2-year Post Warranty Next Business Day LaserJet M725 MFP HW Support	U7Y73PE
HP 1-year Post Warranty 4 hour 9x5 LaserJet M725 MFP Support	U7Y74PE
HP 1-year Post Warranty 4 hour 13x5 LaserJet M725 MFP Support	U7Y75PE
HP 1 year Post Warranty Phone Assist Mid-range MFP and High-end LaserJet printer Service	UU926PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/go/cpc

Paper

hp.com/apac/paper

Software

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

EcoHighlights

HP LaserJet Enterprise MFP M725 series Eco information

- Reduce energy use with Instant-on Technology.¹
- Reduce paper use by up to 50%, using automatic two-sided printing.
- Reduce waste—scan, store, and distribute documents digitally.



ENERGY STAR® qualified
Join HP in more sustainable printing
hp.com/ecosolutions

¹ Compared with products that use traditional fusing

Technical specifications

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)
AIO functions	Print, Copy, Scan	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
Print			
Duplex print options	Automatic (standard)	Automatic (standard)	Automatic (standard)
Print speed ¹	Up to 41 ppm (Black, A4)	Up to 41 ppm (Black, A4)	Up to 41 ppm (Black, A4)
First page out ²	As fast as 10 sec	As fast as 10 sec	As fast as 10 sec
Print technology	Laser	Laser	Laser
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology	Black (best): Up to 1200 x 1200 dpi; Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology	Black (best): Up to 1200 x 1200 dpi; Black (normal): HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
Print resolution technologies	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi	HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology 600 dpi, 300 dpi
Printer Smart Software Features	HP ePrint, Apple AirPrint, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview	HP ePrint, Apple AirPrint, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview	HP ePrint, Apple AirPrint, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off technology, Easy Access USB, Image Preview
Mobile printing capability	HP ePrint; Apple AirPrint	HP ePrint; Apple AirPrint	HP ePrint; Apple AirPrint
Standard print languages	HP PCL 6; HP PCL 5e; HP postscript level 3 emulation; PDF	HP PCL 6; HP PCL 5e; HP postscript level 3 emulation; PDF	HP PCL 6; HP PCL 5e; HP postscript level 3 emulation; PDF
Printer management	HP Web Jetadmin, HP Utility (Mac)	HP Web Jetadmin, HP Utility (Mac)	HP Web Jetadmin, HP Utility (Mac)
Scan			
Scan type	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Scan technology	Charge Coupled Device (CCD)	Charge Coupled Device (CCD)	Charge Coupled Device (CCD)
Scan speed ³	A4: Up to 50 ppm (black and white), up to 30 ppm (colour)	A4: Up to 50 ppm (black and white), up to 30 ppm (colour)	A4: Up to 50 ppm (black and white), up to 30 ppm (colour)
Scan resolution	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan input modes	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXP) applications	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXP) applications	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXP) applications
Scan size maximum	ADF, Flatbed: 297 x 420 mm	ADF, Flatbed: 297 x 420 mm	ADF, Flatbed: 297 x 420 mm
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
Bit depth/Grayscale levels	24 bit/256	24 bit/256	24 bit/256
Copy			
Copy speed ⁴	Up to 41 cpm (Black, A4)	Up to 41 cpm (Black, A4)	Up to 41 cpm (Black, A4)
Copy resolution	Black (text and graphics): 600 x 600 dpi	Black (text and graphics): 600 x 600 dpi	Black (text and graphics): 600 x 600 dpi
Max number of copies	Up to 9,999 copies	Up to 9,999 copies	Up to 9,999 copies
Copier Reduce enlarge	25 to 400%	25 to 400%	25 to 400%
Copier settings	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build
Digital Sending Standard Features	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)
Fax			
Transmission Speed ⁵	Not Applicable	Up to 33.6 kbps; 3 sec per page	Up to 33.6 kbps; 3 sec per page
Fax resolution	Not Applicable	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi; Black and White (fine): 204 x 196 dpi, 256 levels of gray; Black Photo Grayscale: 300 x 300 dpi (400 x 400 dpi for received faxes only)	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi; Black and White (fine): 204 x 196 dpi, 256 levels of gray; Black Photo Grayscale: 300 x 300 dpi (400 x 400 dpi for received faxes only)
Fax smart software features	Not Applicable	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
Fax memory	Not Applicable	Up to 100 pages	Up to 100 pages
Fax features	Not Applicable	Auto Fax Reduction Supported: Yes; Auto-Redialling: No; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Junk Barrier Supported: Yes; PC Interface Supported: Yes; Telephone Handset Supported: No; Fax Telephone Mode Supported: No	Auto Fax Reduction Supported: Yes; Auto-Redialling: No; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Junk Barrier Supported: Yes; PC Interface Supported: Yes; Telephone Handset Supported: Yes; Fax Telephone Mode Supported: No
Connectivity			
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)
Wireless capability	Optional, enabled with purchase of a hardware accessory	Optional, enabled with purchase of a hardware accessory	Optional, enabled with purchase of a hardware accessory
Modem	Not Applicable	33.6 kbps	33.6 kbps
Memory	1 GB	1 GB	1 GB
Processor speed	800 MHz	800 MHz	800 MHz
Duty cycle (monthly, A4)⁶	Up to 200,000 pages	Up to 200,000 pages	Up to 200,000 pages
Recommended monthly page volume⁷	5,000 to 20,000 pages	5,000 to 20,000 pages	5,000 to 20,000 pages
Paper handling			
Media type	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Media weight	Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ² ; Tray 3: 60 to 120 g/m ²	Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ² ; Tray 3: 60 to 120 g/m ²	Tray 1: 60 to 199 g/m ² ; Tray 2: 60 to 120 g/m ² ; Tray 3: 60 to 120 g/m ²
Supported media sizes	A3; A4; A5; B4 (JIS); B5 (JIS)	A3; A4; A5; B4 (JIS); B5 (JIS)	A3; A4; A5; B4 (JIS); B5 (JIS)
Auto document feeder capacity	Standard, 100 sheets	Standard, 100 sheets	Standard, 100 sheets
Dimensions (W x D x H)	614 x 649 x 609 mm	745 x 681 x 1160 mm	745 x 681 x 1192 mm
Weight	54.11 kg	87.1 kg	92.35 kg
What's in the box⁸	HP LaserJet Enterprise MFP M725dn; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide, Support flyer, Warranty guide; Printer documentation and software on CD-ROM; Power cord	HP LaserJet Enterprise MFP M725f; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide, Support flyer, Warranty guide; Printer documentation and software on CD-ROM; Power cord; Telecom cable	HP LaserJet Enterprise MFP M725z; HP Black LaserJet Toner Cartridge (10,000 pages); Hardware Installation Guide, Support flyer, Warranty guide; Printer documentation and software on CD-ROM; Power cord; Telecom cable
Warranty features	One-year on-site warranty.	One-year on-site warranty.	One-year on-site warranty.

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)
Compatible operating systems	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix , hp.com/go/unixmodelscripts , hp.com/go/jetdirectunixsoftware); SAP device types (hp.com/go/sap/drivers , hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver)	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix , hp.com/go/unixmodelscripts , hp.com/go/jetdirectunixsoftware); SAP device types (hp.com/go/sap/drivers , hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver)	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit); Mac OS X 10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (hp.com/go/upd); Novell (novell.com/iprint); Linux (hplip.net); UNIX (hp.com/go/unix , hp.com/go/unixmodelscripts , hp.com/go/jetdirectunixsoftware); SAP device types (hp.com/go/sap/drivers , hp.com/go/sap/print); HP ePrint Mobile Driver (hp.com/go/eprintmobiledriver)
Minimum system requirements	PC: Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com ; Mac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com	PC: Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com ; Mac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com	PC: Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com ; Mac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
Control panel	8.0-in (20.3 cm) colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	8.0-in (20.3 cm) colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	8.0-in (20.3 cm) colour LCD with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Display	8.0-in (20.3 cm) touchscreen; LCD (colour graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	8.0-in (20.3 cm) touchscreen; LCD (colour graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	8.0-in (20.3 cm) touchscreen; LCD (colour graphics) ; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket
Power⁹	Power supply type: Built-in power supply Power supply required: Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Power consumption: 890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off)	Power supply type: Built-in power supply Power supply required: Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Power consumption: 890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off)	Power supply type: Built-in power supply Power supply required: Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Power consumption: 890 watts (Active print/copy), 39 watts (Ready), 6.5 watts (Sleep), 0.3 watts (Off)
Software included	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
Acoustic¹⁰	Acoustic power emissions: 6.8 B(A) Acoustic power emissions (active copy): 7.1 B(A) Acoustic power emissions (ready): 5.0 B(A) Acoustic pressure emissions bystander (active copy): 56 dB(A) Acoustic pressure emissions bystander (active, printing): 54 dB(A) Acoustic pressure emissions bystander (ready): 36 dB(A)	Acoustic power emissions: 6.8 B(A) Acoustic power emissions (active copy): 7.1 B(A) Acoustic power emissions (ready): 5.0 B(A) Acoustic pressure emissions bystander (active copy): 56 dB(A) Acoustic pressure emissions bystander (active, printing): 54 dB(A) Acoustic pressure emissions bystander (ready): 36 dB(A)	Acoustic power emissions: 6.8 B(A) Acoustic power emissions (active copy): 7.1 B(A) Acoustic power emissions (ready): 5.0 B(A) Acoustic pressure emissions bystander (active copy): 56 dB(A) Acoustic pressure emissions bystander (active, printing): 54 dB(A) Acoustic pressure emissions bystander (ready): 36 dB(A)

	HP LaserJet Enterprise 700 MFP M725dn (CF066A)	HP LaserJet Enterprise 700 MFP M725f (CF067A)	HP LaserJet Enterprise 700 MFP M725z (CF068A)
Operating environment	Operating humidity range: 20 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 30 to 70% RH Operating temperature range: 10 to 32.5° C (50 to 91° F) Recommended operating temperature range: 10 to 32.5° C (50 to 91° F) Storage temperature range: 32 to 140° F (0 to 60° C)	Operating humidity range: 20 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 30 to 70% RH Operating temperature range: 10 to 32.5° C (50 to 91° F) Recommended operating temperature range: 10 to 32.5° C (50 to 91° F) Storage temperature range: 32 to 140° F (0 to 60° C)	Operating humidity range: 20 to 80% RH Non-operating humidity range: 10 to 90% RH Recommended operating humidity range: 30 to 70% RH Operating temperature range: 10 to 32.5° C (50 to 91° F) Recommended operating temperature range: 10 to 32.5° C (50 to 91° F) Storage temperature range: 32 to 140° F (0 to 60° C)
Security management	Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in



Ordering Information

Number	Description
CF066A	HP LaserJet Enterprise 700 MFP M725dn
CF067A	HP LaserJet Enterprise 700 MFP M725f
CF068A	HP LaserJet Enterprise 700 MFP M725z



Hewlett-Packard offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3559 7777	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Japan	(03) 5628 1101	hp.com/jp
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 8722 9000	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries,

please fax your queries to: (65) 6275 6707

Bangladesh • Bhutan • Brunei • Cambodia • Maldives • Nepal • Pakistan • Sri Lanka

For more information, please visit us at hp.com/apac/homeandoffice

To learn more, visit
hp.com

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Exact speed varies depending on the system configuration, software application, driver and document complexity. ³ Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software. ⁴ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁶ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁷ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information. ⁹ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

