# **HP LaserJet Enterprise M806 Printer series**



# Top printing performance, great value

This A3 HP LaserJet handles big print jobs fast, with extra-large input capacity and versatile paper-handling options. Mobile printing is simple with wireless direct printing and touch-to-print technology. Easy upgrades protect your investment.



#### Boost productivity: give workgroups the speed they need.

- Print big jobs fast at up to 56 ppm A4, and easily thanks to the extra-large input capacity of up to 4,600 pages3. Versatile paper handling options include a stapler/stacker/hole punch and booklet maker4.
- Simplify tasks with the right touch equip users to fly through tasks with the large 10.9 cm (4.3-inch) colour touchscreen.
- Simplicity all around make it easy for all to print with one common drivers.
- Don't wait, just print right away and save energy with Instant-on Technology.

#### Invest once, expand easily.

- Keep a close watch, even from afar monitor and control printers centrally with HP Web Jetadmin<sup>6</sup>.
- Apply fleet-wide policies to protect all your HP devices with the HP Imaging and Printing
- Safeguard your printers right away with HP Instant-on Security<sup>8</sup>, and protect the sensitive data sent to your printer with the HP High-Performance Secure Hard Disk<sup>9</sup>.
- Prints with a positive ID authenticate users at the device to help secure print jobs.

# Experience greater efficiency with mobile printing.

- Mobile printing is simple with wireless direct printing, and enable touch-to-print convenience from a mobile device<sup>2</sup>.
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software<sup>10</sup>.
- Printing made Apple® simple let users print wirelessly from an iPad®, iPhone®, or iPod touch®11.











## **Product walkaround**

# **HP LaserJet Enterprise M806 Printer series**

- 1. Intuitive 10.9 cm (4.3 in) colortouchscreen control panel
- 2.500-page output bin
- 3. Hardware integration pocket (HIP) for solution integration
- 4. 100-sheet face-up straight-through output bin
  5. Easy front-door access to HP all-in-one toner cartridge
- 6. Built-in automatic two-sided printing
- 7. Two 500-sheet input trays support media up to A3 (11  $\times$  17 in)
- 8. 3,500-sheet high-capacity input tray supports A4/letter media
- 9. Easy-access USB port to print files directly
- 10. 100-sheet multipurpose tray handles media up to 220 g/m² (53 lb bond)
- 11. Right-side doors provide access for clearing jams
- 12. 800 MHz processor, 1 GB standard memory
- 13. HP High-Performance Secure Hard Disk
- 14. Access port for optional Kensington-style lock
- 15. USB port (for connecting third-party devices)
- 16. Hi-Speed USB 2.0 printing port
- 17. HP Jetdirect Gigabit Ethernet print server
- 18. Foreign interface harness (for connecting third-party devices)



## Series at a glance





Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer
Product number	CZ244A	CZ245A
100-sheet multipurpose tray	Yes	Yes
Two 500-sheet A3 input trays	Yes	Yes
3,500-sheet A4/letter HCI	Optional	Yes
Booklet maker (CZ285A)*	Optional	Optional
Two-bin stapler/stacker (CZ994A)*	Optional	Optional
Two-bin stapler/stacker/hole punch (CZ996A)*	Optional	Optional
Touch-to-print and wireless direct mobile printing	Optional	Optional
HP High-Performance Secure Hard Disk	Not available	Yes

<sup>\*</sup>HCI must be installed for use before adding a finishing accessory.

# **Accessories, Supplies and Support**

Supplies	C2H57A HP Laser Jet 220V Maintenance/Fuser Kit Average yield: 200,000 pages		
	CF325X HP 25X High Yield Black Original LaserJet Toner Cartridge 34,500 pages (HP LaserJet M806 Printer); 40,000 pages (HP LaserJet Enterprise MFP flow M830).		
Accessories	TOF27A HP LaserJet 500-sheet Output Catch Tray		
	CZ994A HP LaserJet Stapler/Stacker		
	C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories		
	CC383A HP 2-pack 2000-staple Cartridge for booklet maker finisher		
	C3F79A HP LaserJet 3500-sheet High-capacity Input Tray		
	CZ285A HP LaserJet Booklet Maker/Finisher		
	CZ996A HP LaserJet Stapler/Stacker with 2/4 hole punch		
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server		
	J8029A HP Jetdirect 2800w NFC/Wireless Direct Accessory		
Service and support	U8C59E HP 3 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support U8C53E HP 3 year 4 hour 9x5 LaserJet Enterprise M806 Hardware Support U8C60E HP 4 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support U8C61E HP 5 year Next Business Day with Defective Media Retention LaserJet M806 Hardware Support U8C75PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LaserJet M806 Hardware Support U8C72PE HP 2 year Post Warranty Next Business Day LaserJet Enterprise M806 Hardware Support U8C73PE HP 1 year Post Warranty 4 hour 9x5 LaserJet Enterprise M806 Hardware Support		

# **Technical specifications**

Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer	
Product number	CZ244A	CZ245A	
Print speed	Up to 56 ppm black (A4); Up to 56 ipm duplex (A4) Up to 28 ppm black (A3)		
First page out time	As fast as 8.5 sec black (A4, ready)		
Print resolution	Up to 1200 x 1200 dpi black		
Print technology	Laser		
Print Area	Print margins: Top: 2.0 mm; Bottom: 2.0 mm; Left: 2.0 mm; Right: 2.0 mm		
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.4)		
Mobile printing capability	HP ePrint; Apple AirPrint™; Mobile Apps; HP Wireless Direct printing (optional)		
Monthly duty cycle	Up to 300,000 pages (A4), Recommended monthly page volume: 10,000 to 50,000		
Duplex printing	Automatic (standard)		
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mor WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts		
Processor speed	800 MHz		
Display	10.9 cm colour LCD with resistive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket		
Network ready	Standard (built-in Ethernet)		
Memory	Standard: 1 GB; Maximum: 1.5 GB		
Hard disk	Standard, 8 GB Solid State Drive (SSD)	320 GB HP High-Performance Secure Hard Disk (only on CZ245A)	
Functions	Print		
Media types	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough), labels, cardstock, transparencies		
Paper size	Custom metric: Tray 1: 98 x 191 to 312 x 470 mm; Tray 2/3: 148 x 210 to 297 x 431.8 mm; Optional High-capacity Input, Tray 4/5: 210 to 297 mm Supported metric: Tray 1: A3, A4, A5, RA3, B4, B5, postcards (JIS double), envelopes (DL, C5, B5); Tray 2/3: A3, A4, A5, B4, B5; Optional High-capacity Input, Tray 4/5: A4 only	Custom metric: Tray 1: 98 × 191 to 312 × 470 mm; Tray 2/3: 148 × 210 to 297 × 431.8 mm; High-capacity Input, Tray 4/5: 210 to 297 mm Supported metric: Tray 1: 43, 44, 45, R43, B4, B5, postcards (JIS double), envelopes (DI, C5, B5); Tray 2/3: A3, A4, A5, B4, B5; High-capacity Input, Tray 4/5: A4 only	
Paper handling	Standard input: Two 500-sheet input trays, 100-sheet multipurpose tray  Standard output: 500 sheet face-down tray, 100 sheet face-up tray  Optional/Input: Optional 3500-sheet High-capacity tray	Standard input: Two 500-sheet input trays, 100-sheet multipurpose tray, 3500-sheet High-capacity Input Tray Standard output: 500 sheet face-down tray, 100 sheet face-up tray	

Model	HP LaserJet Enterprise M806dn Printer	HP LaserJet Enterprise M806x+ Printer	
Product number	CZ244A	CZ245A	
Input capacity	Tray 1: sheets: 100; envelopes: 100; labels: 100 Tray 2: sheets: 500; labels: small quantities Tray 3: optional High-capacity Input tray, tray 4: sheets: 1500 (A4 only), tray 5: sheets: 2000 (A4 only)	Tray 3: High-capacity Input tray, tray 4: sheets: 1500 (A4 only), tray 5: sheets: 2000 (A4 only)	
Output capacity	Standard: Up to 600 sheets, Up to 100 sheets Transparancies  Maximum: Up to 3,000 sheets (with optional stapler/stacker, stapler/stacker with hole punch, or stapler/stacker with booklet maker)		
Paper weight	Tray 1: 60 to 220 g/m²; Tray 2/3, 60 to 199 g/m²; Optional High-capacity Input, Tray 4/5: 60 to 199 g/m²		
What's in the box	HP Laser Jet M806dn Printer; HP Black Laser Jet Toner Cartridge (~34.5K pages) Hardware Install Guide, Support flyer, Warranty card; Printer documentation an driver on CD-ROM; power cord		
Replacement cartridges	HP 25X Black LaserJet Toner Cartridge (~34,500 pages yield) CF325X		
Supported network protocols	IPv4/IPv6: Apple Bonjour (AirPrint) compatible, SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, WS Print, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode Management security: SNMPv3, SSL/TLS (HTTPS), IPsec/Firewall; Port authentication (802.1x EAP-PEAP, EAP-TLS)		
Compatible operating systems	Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit); Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion; For the latest operating system support see: AirPrint™ (http://support.apple.com/kb/ht4356), Android (htttp://www.android.com), Citrix and Windows Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver (htttp://www.hp.com/go/eprintsoftware), Linux (htttp://www.hplip.net), Novell (htttp://www.novell.com/iprint), SAP device types (htttp://www.hp.com/go/sap/drivers), SAP Print (htttp://www.hp.com/go/sap/print), UNIX (htttp://www.hp.com/go/jetdirectunix_software)		
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7 SP1+, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2 (64 bit), Windows Server 2003 (SP1+): 200 MB available hard disk space, CD-ROM/DVD drive or Internet connection, dedicated USB 1.1/2.0 or network connection (for OS compatible hardware system requirements see http://www.microsoft.com) Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)		
Software included	HP PCL 6 Discrete Printer Driver, Mac SW Link to Web (Mac Installer), Windows Installer		
Security management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Secure Erase, SSL/TLS, Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security Solutions; Security Management: Compatible with HP Imaging & Printing Security Center		
Printer management	HP Web Jetadmin; HP Utility (Mac)		
Control panel	10.9 cm colour LCD with resistive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket		
Printer dimensions (W x D x H)	Minimum: 1095 x 648 x 635 mm Maximum: 1390 x 648 x 655 mm	Minimum: 1095 x 715 x 1040 mm Maximum: 1390 x 715 x 1065 mm	
Package dimensions (W x D x H)	856 x 760 x 978 mm	856 x 790 x 1368 mm	
Printer Weight	76.1 kg	108.4 kg	
Package weight	88.84 kg 130.67 kg		
Operating environment	Temperature: 10 to 32.5°C, Humidity: 10 to 80% RH		
Storage	Temperature: 0 to 40°C, Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 7.2 B(A); Acoustic pressure emissions: 55 dB(A)		
Power	Requirements: Input Voltage: 220 to 240 VAC, 50/60 Hz, 5.5 A Consumption: 1000 watts (printing), 38 watts (ready), 6.5 watts (sleep), 2.2 watts (Auto On/Auto Off), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.0 kWh/Week Power supply type: Built-in power supply		
Certifications	CISPR 22:2008 / EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009 +A2:2009; EN 61000-3-3:2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified		
Warranty	One-year, onsite limited warranty; 24-hour support; 7 days a week phone support, Product: One year, onsite, warranty. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP award winning service and support options in your region.		

#### **Footnotes**

¹ Wireless direct printing may be added as an option to the HP LaserJet Enterprise M806dn and M806x+ CZ245A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp. com/go/wirelessprinting; ² Touch-to-print capability may be added as an option to the HP LaserJet Enterprise M806dn and M806x+ CZ245A. Mobile device must support near field communications-enabled printing; ³ Maximum paper capacity of 4,600 sheets is standard in the HP LaserJet Enterprise M806x+ CZ245A and available in the HP LaserJet Enterprise M806dn model with the optional 3,500-sheet high-capacity input tray; ° 2 bin stapler/stacker, 2 bin stapler/stacker/hole punch and booklet maker are optional accessories. Please purchase separately; ° 1 he HP Universal Printin Universal Printing Universal Printing Printing Individual Printing Individu











#### http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

