QuickSpecs

Overview

HPE G2 Enterprise Series Racks

HPE G2 Enterprise Series Racks are designed for high density IT configurations deployed in a diverse set of environments – from the data closet to the data center. Following EIA-310 specifications for 19-inch racks, G2 Enterprise Racks are designed specifically to support a wide range of HPE IT equipment (servers, storage, and networking), as well as the entire portfolio HPE Rack and Power Infrastructure solutions (PDU, UPS and KVM).

All HPE G2 Enterprise Series Racks are supported with a 10 year limited warranty that provides either repair or complete replacement of the rack. Offering this industry-leading warranty requires a highly reliable and durable design that includes features such as a fully-welded, roll-form rack design, heavy-gauge rails, and heavy-duty castors that can support a static load of up to 3000 lbs. Additionally, select shock pallet models include packaging specifically designed to support the shipment of pre-configured racks with up to 3,000 lbs. of It equipment.

The G2 Enterprise Series Rack portfolio includes a wide range of rack models covering a variety of heights, widths, and depths. All HPE G2 rack models are supported with a large portfolio of accessories that help customize each rack to operate optimally in in the user's IT environment. Rack accessories include options to support airflow management, cable management, and added rack stability.





Overview





Rack Models

HPE G2 Enterprise Series Rack Models

Review the following details to better understand the different rack models that are offered in the HPE G2 Enterprise Series rack portfolio.

Pallet Rack	Standard pallet and packaging for racks that will be configured on-site		
Shock Pallet	Pallet and packaging designed to support racks that will be shipped directly to the data center fully configured		
	 Can support up to 3,000 lbs. of IT equipment during shipment 		
	 Packaging includes integrated ramp to simplify rack deployment 		
	 Must be selected when requesting HPE Factory Express Services 		
Network Racks	Designed to support dense Networking equipment configurations, or the integration of Networking, Server, and Storage equipment into a single industry standard 19" rack.		
	 Front and rear vertical EIA rails are moved back 75mm to facilitate front to rear cabling 		
	 Include additional bristle covered cable access slots in the front and top of the rack to prevent the mixing of hot and cold air and to allow pass-through for large cable connectors and 		

600mm Wide G2 Enterprise Series Rack Models

bundles

oooniin wide oz Emerprise Series Kack Piodels	
HPE 42U 600x1075 Enterprise G2 Pallet Rack	P9K37A
HPE 42U 600x1075 Enterprise G2 Shock Rack	P9K38A
HPE 42U 600x1200 Enterprise G2 Pallet Rack	P9K39A
HPE 42U 600x1200 Enterprise G2 Shock Rack	P9K40A
HPE 48U 600x1075 Enterprise G2 Shock Rack	P9K50A
HPE 48U 600x1200 Enterprise G2 Pallet Rack	P9K51A
HPE 48U 600x1200 Enterprise G2 Shock Rack	P9K52A
800mm Wide G2 Enterprise Series Rack Models	
HPE 42U 800x1075 Enterprise G2 Pallet Rack	P9K41A
HPE 42U 800x1075 Enterprise G2 Shock Rack	P9K42A
HPE 42U 800x1200 Enterprise G2 Pallet Rack	P9K45A
HPE 42U 800x1200 Enterprise G2 Shock Rack	P9K46A
HPE 48U 800x1075 Enterprise G2 Shock Rack	P9K54A
HPE 48U 800x1200 Enterprise G2 Pallet Rack	P9K57A
HPE 48U 800x1200 Enterprise G2 Shock Rack	P9K58A
G2 Enterprise Series Network Rack Models	
HPE 42U 800x1075 Enterprise G2 Network Pallet Rack	P9K43A
HPE 42U 800x1200 Enterprise G2 Network Shock Rack	P9K48A
HPE 48U 800x1075 Enterprise G2 Network Pallet Rack	P9K55A
HPE 48U 800x1200 Enterprise G2 Network Shock Rack	Р9К60А

Standard Features

What's Included With Rack?	 Hardware Kit (including key to front and rear doors) Support documentation NOTE: Side panels and baying kit must be purchased separately for all G2 Enterprise rack models.				
Compatibility	 Designed for H 	A-310 specifications for industry standard racks IPE IT solutions h HPE rack and power infrastructure solutions table EIA rails			
Reliability/ Durability	 of purchase. Proven frame of 3000 lbs. station Highest levels a shock pallet in Fully-welded, results a shock pallet in the state of the s	d warranty. Hardware replacement and repair is available for ten years from date design, heavy-gauge mounting rails, and heavy-duty casters can support up to c load and dynamic (rolling) loads. of ship-load testing to ensure a dynamic load of up to 3000 lbs. when selecting rack option oll form rack frame steel side bracing			
Usability/ Management Industry's widest Multiple 800mm Includes either 2 height PDU Mou 80% front-door a Removal and rev pass-through of Enhanced front a Redesigned bott Depth adjustable Flush-mounted, installed Quick release fro Wide array of rad safety/security Eyebolt support		est range of enclosure sizes with rack depths of 42-inches or greater m wide rack models including Network rack models available 2 (1075mm models) or 4 (1200mm models) integrated and adjustable full- bunting Trays in each rack to support PDU and cable management accessories r airflow perforation eversible rack canopy with pre-installed brush strips capable of supporting easy of large cables and connectors t and rear door cabling channels ottom area designed for unobstructed access to data center floor ble, side EIA mounting rails designed to support front-to-back cabling d, locking 2-piece side panels (optional) – supports baying with side panels front and rear doors frack accessories for airflow management, cable management, stabilization, and tri integrated into enclosure frame services through HPE Factory Express			
Safety/Security	ard lock panel on the front and rear doors capable of supporting a wide range of ctronic locking/security solutions d side panels that support rack baying when installed ical grounding covering frame and components ess for front doors, rear doors, and side panels				
Industry Standards Compliance	EIA UL/CES Certification WEEE RoHS compliant TAA compliant	Type A cabinet per section 4.1.1 Yes Yes Yes Compliant for all rack models sold in North America			

Service & Support			
Warranty / Service Coverage	HPE G2 Enterprise Racks are covered by a global 10 warranty and supported by HPE Services and a worldwide network of HPE Authorized Channel Partners resellers. Hardware replacement and repair is available for ten years from date of purchase. Normal HPE warranty exclusions apply.		
	Additional information regarding worldwide limited warranty and technical support is available at: <u>http://h17007.www1.hpe.com/us/en/enterprise/servers/warranty/index.aspx#.V-</u> 10xE3rvbq		
HPE Support Services	HPE Services To help streamline implementation and enhance ongoing support of rack solutions, Hewlett Packard Enterprise provides cost-effective service options with resources and specialized expertise to complement customers' in-house capabilities.		
	Installation and Startup services Take advantage of complete installation and implementation support-including global rollout capabilities-to get rack solutions up-and-running rapidly, with minimal business disruption.		
	Server Option Hardware Support Cover rack options with a single convenient service package. HPE Support Services for rack- mounted ProLiant DL servers and storage products provide support for all HPE-branded rack hardware options that are qualified for inclusion with the server at the time of or after purchase. This covers all rack and power infrastructure options including power distribution units (PDU), UPS options up to 12kVA (not including battery), rack and rack accessories, and KVM consoles and switches. All of these products are covered at the same service level and for the same period as the server at no additional cost.		
	HPE Support Services help increase uptime and productivity with rapid response on a 24x7 or 13x5 basis. Both options feature same-day, 4-hour onsite assistance when service issues cannot be		

Service & Support

HPE Support Services help increase uptime and productivity with rapid response on a 24x7 or 13x5 basis. Both options feature same-day, 4-hour onsite assistance when service issues cannot be resolved remotely. And both help enhance the return on server investment with proven HPE Services expertise and consistent support levels across geographically dispersed sites.

Related Options

Hewlett Packard Enterprise offers a full line of accessories and options that can be added to HPE Racks allowing you to customize each rack to fit your IT requirements. HPE Rack accessories include upgrades such as side panels, baying kits, cable management kits, drawers, shelving, and filler panels. To build a complete rack and power infrastructure for your IT environment, Hewlett Packard Enterprise also offers a full line of options that include power distribution units (PDU), uninterruptible power systems (UPS), and KVM (keyboard, video, mouse) consoles and switches. See HPE Rack and Power Infrastructure for more complete information at: http://www.hpe.com/info/rackandpower

NOTE: 0D1 may appear after the above selected part numbers on yours sales order if factory integration is indicated.

Rack Baying Kits	HPE G2 Rack Baying Kit NOTE: This Baying Kit is used to connect HPE G2 racks of the same U height and depth together and includes the following components: (4) 24-inch baying brackets, (4) 600mm baying brackets, and T-30 Torx screws.	P9L12A
Airflow Optimizatio	 n HPE Air Flow Optimization Kit NOTE: The Airflow Optimization kit seals air gaps inside the rack, in between bayed racks, and the clearance from the floor to the rack to prevent hot and cold air from mixing thus optimizing the temperature at which the chilled air enters the racked servers. NOTE: When configuring racks through Factory Express, a Rack Optimization kit will automatically ship with the rack. This kit is recommended for all other bayed rack configurations also. 	BW930A
Sidewall Panel Kits	HPE G2 Rack 42U 1075mm Side Panel Kit HPE G2 Rack 42U 1200mm Side Panel Kit HPE G2 Rack 48U 1075mm Side Panel Kit HPE G2 Rack 48U 1200mm Side Panel Kit NOTE: HPE G2 Rack Side Panel Kits are locking, 2-piece panels that provide coverage for both sides of the rack. NOTE: Side Panel kits are not included with G2 Enterprise rack models and must be purchased separately.	P9L15A P9L16A P9L17A P9L18A
Rack Stabilization Kits	HPE 600mm Rack Stabilizer Kit HPE 600mm Heavy Duty V2 Stabilizer Kit HPE 800mm Rack Stabilizer Kit NOTE: Anti-tip stabilizer kits provide stability and support when equipment is installed, removed or accessed within the rack. Heavy Duty stabilizer kits should be used when a single racked component exceeds 200 lbs.	BW932A BW961A BW933A
	HPE Rack Ballast Kit NOTE: The Ballast Kit is designed to provide additional stability and support when used with the Stabilizer Kit. It is typically used when very heavy equipment is routinely installed, removed or accessed within the rack. Compatible with HPE Advanced and Enterprise Series racks.	120672-B21
Tie Down Kit	HPE 600mm Rack Tie Down Kit HPE 800mm Rack Tie Down Kit NOTE: The Rack Tie Down Kit is used to secure the rack to the datacenter floor. Part number AF076A is used for 600mm wide racks only.	AF076A BW927A
Universal 1U Filler Panels	HPE 1U 10-pack Black Universal Filler Panel HPE 1U 100-pack Black Universal Filler Panel	BW928A BW929A

Related Options		
	NOTE: Blanking panels are made from high grade molded plastic, and are designed to be installed without tools. The use of blanking panels is recommended to ensure proper airflow.	
Rack Shelves	HPE Rack 1U Monitor Utility Shelf NOTE: This is a 1U fixed shelf that can be mounted at any height to place a monitor or other component within the rack. The shelf has a maximum weight capacity of 150 lbs. (68kg) and ships with bezels for both a 15" and 17" monitor.	253449-B21
	HP 100kg Sliding Shelf	234672-B21
Adjustable Rails	Depth Adjustable Fixed Rail Kit NOTE: This kit contains two depth adjustable rails that allow Hewlett Packard Enterprise servers, storage, UPSs and other products to be mounted in HPE or third-party racks. Maximum weight capacity is 300 lbs. (136 kg).	332558-B21
Rack Light Kit	HPE Rack LED Light Kit NOTE: The Rack Light Kit is mounted under the roof of the rack and is used to illuminate the rear section of the rack. The light is turned on and off with the opening and closing of the rear doors.	BW939A
Locking Drawer	HPE 2U Universal Locking Drawer NOTE: This rack accessory mounts on HPE Advanced and Enterprise Series racks with sliding rails and is used to store CD's, instruction manuals, tools, and any other items that are frequently used at the rack. Drawer includes lock.	361591-B21
Cable Management Kits	HPE Quarter Turn Hook and Loop 10 Pack Kit HPE Quarter Turn Hook and Loop 100 Pack Kit NOTE: Quarter turn hook and loop straps help attach cables and other devices to the accessory bracket in the rear of the rack without tools.	BW963A BW964A
	Cable Management D-ring Kit NOTE: This kit consists of 10 "D" rings that can be used for cable management.	168233-B21
	HPE Rack Cable Management Velcro Clips HPE Rack Cable Management Kit NOTE: The HPE Rack Cable Management Kit includes a 1U and 2U front cable entry panel with brush inserts, 2x crossover cable brackets, 10x D-rings, 10x hook and loop straps (8 inch), 10x hook and loop straps (10 inch), and mounting hardware.	379820-B21 AF099A
Rack Top Cable Trays	HPE 600 Wide Rack Top Cable Tray HPE 800 Wide Rack Top Cable Tray HPE Rack Top Cable Mgmt Transfer Tray NOTE: HPE Rack Top Cable Tray connects two aisles of racks with HPE Rack Top Cable Trays to run overhead cables.	383982-B21 383983-B21 383984-B21
Rack Fan Kits	HPE Rack 110V Roof Mount Fan Kit HPE Rack 220V Roof Mount Fan Kit NOTE: The Rack Fan Kits enhance natural convection cooling by increasing airflow in the rack.	257413-B21 257414-B21
Grounding Kit	NOTE: The Rack Grounding Kit can be used to reduce the level of electromagnetic emissions outside the rack. The Kit includes (2) 6" Grounding Straps, (3) 14.5" Grounding Straps, (4) 6" Grounding Straps w/connectors, (4)	
	14.5" Grounding Straps w/connectors.	

Related Options

Hardware Kit	HPE Rack Hardware Kit NOTE: The HPE Rack Hardware Kit includes 24x M6 cage nuts, 24x M6x16 T25 screws, 10x 5mm thread clip nuts, 10x 6mm thread clip nuts, cage nut tool, and 5x Quarter turn hook and loop straps.	H6J85A
Rack Branding Kit	HPE Custom Door Branding Kit NOTE: Blank panel that allows you to customize the rack with rack location information, branding, or other description information.	BW935A
HPE Support Services	HPE Install Rack and Rack Options Service	U2871E
HPE Factory Expres	s HPE Hardware Customization Service	HA838A1
Services	HPE 3rd Party Hardware Install Service	HA844A1
	HPE Customer Defined Rack Cable Labeling Service	HA850A1
	HPE Customer Furnished Equipment Handling Service	HA851A1
	HPE Custom Placement within Rack Service	HA864A1
	NOTE: HPE Factory Express offers a full line of services. For more information visit http://www.hp.com/go/factoryexpress	

Technical Specifications

	Rac	kable/Useab	le Area	Total Area			
Model	Height Width Depth		ght Width Depth Total Cabinet Area Shipping Dim				
P9K37A	42U	600mm	1075mm	78.98 x 44.30 x 23.54 in	84.17 x 47.24 x 27.95 in		
				(200.66 x 112.52 x 59.78 cm)	(213.79 x 120.00 x 71.00 cm)		
P9K38A 42U 600mm		1075mm	78.98 x 44.30 x 23.54 in	85.35 x 50.87 x 35.43 in			
				(200.66 x 112.52 x 59.78 cm)	(216.79 x 129.20 x 89.99 cm)		
P9K39A	42U	600mm	1200mm	78.98 x 51.19 x 23.54 in	84.65 x 52.92 x 27.95 in		
				(200.66 x 130.02 x 59.78 cm)	(215.00 x 139.50 x 71.00 cm)		
P9K40A	42U	600mm	1200mm	78.98 x 51.19 x 23.54 in	85.82 x 57.87 x 35.43 in		
				(200.66 x 130.02 x 59.78 cm)	(218.00 x 146.99 x 89.99 cm)		
P9K41A	42U	800mm	1075mm	78.98 x 44.30 x 31.34 in	84.17 x 47.24 x 35.83 in		
				(200.66 x 112.52 x 79.78 cm)	(213.79 x 120.00 x 91.00 cm)		
P9K42A	42U	800mm	1075mm	78.98 x 44.30 x 31.34 in	85.35 x 50.87 x 43.43 in		
				(200.66 x 112.52 x 79.78 cm)	(216.79 x 129.20 x 110.31 cm)		
P9K43A	42U	800mm	1075mm	78.98 x 44.30 x 31.34 in	85.35 x 50.87 x 43.43 in		
				(200.66 x 112.52 x 79.78 cm)	(216.79 x 129.20 x 110.31 cm)		
P9K45A	42U	800mm	1200mm	78.98 x 51.19 x 31.34 in	84.17 x 54.84 x 35.83 in		
				(200.66 x 130.02 x 79.78 cm)	(218.80 x 139.30 x 91.00 cm)		
P9K46A	42U	800mm	1200mm	78.98 x 51.19 x 31.34 in	85.35 x 57.87 x 43.43 in		
				(200.66 x 130.02 x 79.78 cm)	(216.79 x 146.99 x 110.31 cm)		
P9K48A 42U 800mm 120		1200mm	78.98 x 51.19 x 31.34 in	85.35 x 57.87 x 43.43 in			
				(200.66 x 130.02 x 79.78 cm)	(216.79 x 146.99 x 110.31 cm)		
P9K50A	48U	600mm	1075mm	90.39 x 44.30 x 23.54 in	97.64 x 50.87 x 35.43 in		
				(229.78 x 112.52 x 59.78 cm)	(248.01 x 129.20 x 89.99 cm)		
P9K51A	48U	600mm	1200mm	90.39 x 51.19 x 23.54 in	97.64 x 57.87 x 35.43 in		
				(229.78 x 130.02 x 59.78 cm)	(248.01 x 146.99 x 89.99 cm)		
		90.39 x 51.19 x 23.54 in	97.64 x 57.87 x 35.43 in				
				(229.78 x 130.02 x 59.78 cm)	(248.01 x 146.99 x 89.99 cm)		
		90.39 x 44.30 x 31.34 in	97.64 x 50.87 x 43.43 in				
				(229.78 x 112.52 x 79.78 cm)	(248.01 x 129.20 x 89.99 cm)		
P9K55A 48U 800mm 1075mm		90.39 x 44.30 x 31.34 in	97.64 x 50.87 x 35.43 in				
				(229.78 x 112.52 x 79.78 cm)	(248.01 x 129.20x 89.99 cm)		
P9K57A	48U	800mm	1200mm	90.39 x 51.19 x 31.34 in	97.64 x 57.87 x 35.43 in		
				(229.78 x 130.02 x 79.78 cm)	(248.01 x 146.99 x 89.99 cm)		
P9K58A	48U	800mm	1200mm	90.39 x 51.19 x 31.34 in	97.64 x 57.87 x 43.43 in		
				(229.78 x 130.02 x 79.78 cm)	(248.01 x 146.99 x 110.31 cm)		
P9K60A	48U	800mm	1200mm	90.39 x 51.19 x 31.34 in	97.64 x 57.87 x 43.43 in		
				(229.78 x 130.02 x 79.78 cm)	(248.01 x 146.99 x 110.31 cm)		

Understanding rack weights and loads

HPE G2 Enterprise Series Racks are designed to support high capacity weight loads that include the weight of the rack and all the equipment installed. Weight loads are defined as:

- Shipping Weight rack including shipping packaging and materials.
- Static Load maximum loaded weight that a rack can support when stationary.
- Dynamic Load (Rolling) maximum loaded weight a rack can support when rolled.
- Dynamic Load (Shipping) maximum loaded weight a rack can support when shipped configured with IT equipment

HPE G2 Enterprise Series Racks are rated for Static Loads of up to 3000 lbs. If you require a rack that can be shipped when fully loaded with equipment, please consider purchasing a Shock Pallet model that can support up to 3,000 lbs. during shipment.

Technical Specifications

Model	Rack	Rack	Shipping	Static	Dynamic (Rolling)	Dynamic
	Height	Weight (lbs)	Weight (lbs)	Load	Load	(Shipping) Load*
P9K37A	42U	228.18	257.94	3,000 lbs.	3,000 lbs.	
		(103.50 kg)	(117.00 kg)	(1,361 kg)	(1,361 kg)	
P9K38A	42U	230.38	421.08	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(104.50 kg)	(191.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K39A	42U	249.12	281.09	3,000 lbs.	3,000 lbs.	
		(113.00 kg)	(127.50 kg)	(1,361 kg)	(1,361 kg)	
P9K40A	42U	251.33	456.36	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(114.00 kg)	(207.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K41A	42U	293.44	326.50	3,000 lbs.	3,000 lbs.	
		(133.10 kg)	(148.10 kg)	(1,361 kg)	(1,361 kg)	
P9K42A	42U	295.66	499.57	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(134.10 kg)	(226.60 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K43A	42U	293.44	326.50	3,000 lbs.	3,000 lbs.	
		(133.10 kg)	(148.10 kg)	(1,361 kg)	(1,361 kg)	
P9K45A	42U	300.93	336.20	3,000 lbs.	3,000 lbs.	
		(136.50 kg)	(152.50 kg)	(1,361 kg)	(1,361 kg)	
P9K46A	42U	303.14	522.50	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(137.50 kg)	(237.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K48A	42U	303.14	522.50	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(137.50 kg)	(237.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K50A	48U	252.43	443.13	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(114.50 kg)	(201.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K51A	48U	272.27	304.24	3,000 lbs.	3,000 lbs.	
		(123.50 kg)	(138.00 kg)	(1,361 kg)	(1,361 kg)	
P9K52A	48U	274.46	480.61	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(124.50 kg)	(218.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K54A	48U	304.24	509.27	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(138.00 kg)	(231.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K55A	48U	302.03	335.10	3,000 lbs.	3,000 lbs.	
		(137.00 kg)	(152.00 kg)	(1,361 kg)	(1,361 kg)	
P9K57A	48U	319.67	540.13	3,000 lbs.	3,000 lbs.	
		(145.00 kg)	(245.00 kg)	(1,361 kg)	(1,361 kg)	
P9K58A	48U	321.88	542.34	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(146.00 kg)	(246.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)
P9K60A	48U	321.88	542.34	3,000 lbs.	3,000 lbs.	3,000 lbs.
		(146.00 kg)	(246.00 kg)	(1,361 kg)	(1,361 kg)	(1,361 kg)

Environment-friendly Products and Approach

End-of-life Management and Recycling Hewlett Packard Enterprise offers end-of-life product return, trade-in, and recycling programs, in many geographic areas, for our products. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner. http://www.hpe.com/recycle

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard Enterprise web site. These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell Hewlett Packard Enterprise equipment.

http://www.hpe.com/recycle

Summary of Changes

Date	Version History	Action	Description of Change
27-Mar-2017	Version 1	Added	New QuickSpecs.



Hewlett Packard Enterprise © Copyright 2017 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a00002907 - 15862 - Worldwide - V1 - 27-March-2017