



2015 Saker Tab-Tension Series Product Brochure

Saker Tab-Tension Series includes a tab-tension system with MaxWhite FG material to maintain flatness all across the projection surface. Standard features include a wireless 5-12 volt trigger, IR/RF remotes control package, and a detachable manual keypad switch.



Saker Tab-Tension Series

Saker Tab-Tension Series includes a tab-tension system with MaxWhite FG material to maintain flatness all across the projection surface. Standard features include a wireless 5-12 volt trigger, IR/RF remotes control package, and a detachable manual keypad switch.

Scan for product



video



Screen Material:

- MaxWhite Fiberglass 1.1 Gain
- 180° wide viewing angle
- Active 3D and 4K Ultra HD Ready
- Standard black masking borders and black backing

Design and Installation:

- Curved aluminum enamel white case with parallel grooves
- Mounting hardware kit included for wall or ceiling installation
- Extra top black masking border for high ceiling installations
- Tab-tension design helps maintain a flat projection surface
- Flush hidden wall mounts allow screen to slide horizontally for proper centering
- Plug & Play ready, no hardwire installation required

Certified

- GREENGUARD® Certified
- GREENGUARD® Gold Certified

Control System:

- Internal Radio Frequency/Infrared receivers with IR, RF remotes included
- Detachable 3-way wall switch keypad for UP/STOP/DOWN manual operation
- Wireless 5-12 volt trigger included
- RJ45 port allows 3rd party control system integration

Quality and Reliability:

- Silent operation synchronous motor and low power consumption
- 2-year warranty from defects in workmanship
- 3-year warranty offered through ENR-G program (Education, Non-profit, Religious, and Government/Military)

