



VMAX2 Series

The VMAX2 Series is the most complete cost effective Electric/Motorized front projection screen.
www.elitescreens.com/vmax2



VMAX2 Series

The VMAX2 Series is the most complete cost effective Electric/Motorized front projection screen.



Screen Material:

- MaxWhite 1.1 Gain Screen Material is durable and easy to clean. Also available with MaxWhite FG.
- 160 degree wide viewing angle for commercial and residential presentations
- Black backed screen material eliminates light penetration for superior color reproduction
- Black masking enhances picture contrast

Casing and Installation:

- Durable metal casing
- Suitable for wall/ceiling installations
- Ships fully assembled with 3-prong power connection ready to Plug & Play
- Optional in ceiling trim kits and 6" - 18" brackets available

Motor System:

- Synchronized Motor is silent, energy efficient and enhances product longevity

Control System:

- Radio Frequency (RF) remote has 100' range
- Infrared remote and wall switch
- Internal IR/RF low voltage receivers
- 5-12 volt trigger synchronizes with projector
- Optional In-wall up/down switch and wireless 5-12V controls available

Quality and Reliability:

- Standard 2-year parts and labor warranty
- 3-year warranty for GEMR (Government, Education, Military and Religious) - US only
- ETL, FCC, CE, CB GOSTCE & ISO9001:2008 Certified


Certified

- GREENGUARD® Indoor Air Quality and GREENGUARD® Children & Schools Certified





Internal Infrared (IR) and Radio Frequency (RF) Receivers provide total control while maintaining the streamlined simplicity of this product. For added durability and enhanced product appearance, the Elite VMAX2 Series uses an all-steel casing construction including the end caps. The VMAX2 has various control options that work in conjunction with its Low Voltage Controller (LVC). A 5-12V trigger port uses a standard RJ45 connection and synchronizes the screen's drop and rise with your projector's power cycle. The 3-way wall switch can be installed as an external wall-mounted control or use the extended IR "Eye" receiver for recessed ceiling installations.



Elite Screens MaxWhite screen material is easy to clean and durable for daily use. It comes with a 1.1 gain projection surface and 160° wide viewing angle, it is suitable for most applications from commercial presentations to home cinema. The material is black-backed to eliminate light penetration while its textured projection surface helps to eliminate Moiré or "hot spotting".



The VMAX2 Series comes with 2-30 inches of Top Black masking borders along with side and bottom masking to enhance the format of your presentation to avoid projection overshoot. There are three ways to install the VMAX2 Electric Screen

1. Wall Mount (Flush directly to wall or with optional 6" L bracket)
2. Ceiling Hook (use with or without our optional 6" L bracket)
3. In-Ceiling installation with our Optional In-Ceiling Trim Kit (Please refer to accessories list)

VMAX2 Series: Multi-Function Electric Screen with IR/RF/Low Voltage 3-way Wall Switch/12V Trigger

Model	Nominal Diagonal	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	Net Weight (lbs)	Gross Weight (lbs)	Net Weight (kgs)	Gross Weight (kgs)	Packaging Dimension (LxHxW)	Gain	Screen Material	Case Color
VMAX99UWS2	99"(1:1)	70.0	70.0	177.8	177.8	19.6	24.2	8.9	11.0	84.7"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX99XWS2	99"(1:1)	70.0	70.0	177.8	177.8	19.6	24.2	8.9	11.0	84.7"x5.5"x5.5"	1.1	MaxWhite	White
VMAX113UWS2	113"(1:1)	79.9	79.9	202.9	202.9	22.6	27.7	10.3	12.6	96.1"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX113XWS2	113"(1:1)	79.9	79.9	202.9	202.9	22.6	27.7	10.3	12.6	96.1"x5.5"x5.5"	1.1	MaxWhite	White
VMAX119UWS2	119"(1:1)	84.1	84.1	213.6	213.6	23.5	28.5	10.7	12.9	100"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX119XWS2	119"(1:1)	84.1	84.1	213.6	213.6	23.5	28.5	10.7	12.9	100"x5.5"x5.5"	1.1	MaxWhite	White
VMAX136UWS2	136"(1:1)	96.0	96.0	243.8	243.8	27.5	33.2	12.5	15.1	111.6"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX136XWS2	136"(1:1)	96.0	96.0	243.8	243.8	27.5	33.2	12.5	15.1	111.6"x5.5"x5.5"	1.1	MaxWhite	White
VMAX153UWS2	153"(1:1)	108.2	108.2	274.8	274.8	32.6	38.6	14.8	17.6	123.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX153XWS2	153"(1:1)	108.2	108.2	274.8	274.8	32.6	38.6	14.8	17.6	123.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX170UWS2	170"(1:1)	120.0	120.0	304.8	304.8	43.7	56.2	19.8	25.6	135"x6.5"x6.5"	1.1	MaxWhite	Black
VMAX170XWS2	170"(1:1)	120.0	120.0	304.8	304.8	43.7	56.2	19.8	25.6	135"x6.5"x6.5"	1.1	MaxWhite	White
VMAX84UWV2	84"(4:3)	50.4	67.2	128.0	170.7	18.0	22.3	8.2	10.2	81.9"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX84XWV2	84"(4:3)	50.4	67.2	128.0	170.7	18.0	22.3	8.2	10.2	81.9"x5.5"x5.5"	1.1	MaxWhite	White
VMAX92UWV2	92"(4*3)	55.2	73.6	140.2	186.9	21.2	26.0	9.6	11.8	88.2"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX92XWV2	92"(4*3)	55.2	73.6	140.2	186.9	21.2	26.0	9.6	11.8	88.2"x5.5"x5.5"	1.1	MaxWhite	White
VMAX100UWV2	100"(4:3)	60.0	80.0	152.4	203.2	22.1	27.2	10.0	12.4	95.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX100XWV2	100"(4:3)	60.0	80.0	152.4	203.2	22.1	27.2	10.0	12.4	95.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX100XWV2-E24	100"(4:3)	60.0	80.0	152.4	203.2	22.1	27.3	10.0	12.4	95.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX120UWV2	120"(4:3)	72.0	96.0	182.9	243.8	26.5	34.2	12.0	15.5	111.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX120XWV2	120"(4:3)	72.0	96.0	182.9	243.8	26.5	34.2	12.0	15.5	111.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX120XWV2-E24	120"(4:3)	72.0	96.0	182.9	243.8	26.5	34.2	12.0	15.5	111.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX135UWV2	135"(4:3)	81.0	108.0	205.7	274.3	30.9	36.4	14.0	16.5	123.6"x5.5"x5.5"	1.1	MaxWhite FG	Black
VMAX135XWV2	135"(4:3)	81.0	108.0	205.7	274.3	30.9	36.4	14.0	16.5	123.6"x5.5"x5.5"	1.1	MaxWhite FG	White
VMAX135XWV2-E24	135"(4:3)	81.0	108.0	205.7	274.3	30.9	36.4	14.0	16.5	123.6"x5.5"x5.5"	1.1	MaxWhite FG	White
VMAX150UWV2	150"(4:3)	90.0	120.0	228.6	304.8	34.2	41.3	15.5	18.8	135.4"x5.9"x6.3"	1.1	MaxWhite FG	Black
VMAX150XWV2	150"(4:3)	90.0	120.0	228.6	304.8	34.2	41.3	15.5	18.8	135.4"x5.9"x6.3"	1.1	MaxWhite FG	White
VMAX150XWV2-E24	150"(4:3)	90.0	120.0	228.6	304.8	35.3	41.5	16.0	18.8	135.4"x5.9"x6.3"	1.1	MaxWhite FG	White
VMAX165XWV2	165"(4:3)	99.0	132.0	251.5	335.3	46.9	57.9	21.3	26.3	146.5"x6.3"x6.5"	1.1	MaxWhite FG	White
VMAX84UWH2	84"(16:9)	41.2	73.2	104.6	185.9	20.3	24.9	9.2	11.3	87.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX84XWH2	84"(16:9)	41.2	73.2	104.6	185.9	20.3	24.9	9.2	11.3	87.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX84UWH2-E30	84"(16:9)	41.2	73.2	104.6	185.9	21.2	26.0	9.7	11.8	87.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX92UWH2	92"(16:9)	45.1	80.2	114.6	203.7	22.1	25.4	10.0	11.5	95.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX92UWH2-E30	92"(16:9)	45.1	80.2	114.6	203.7	22.1	25.4	10.0	11.5	95.8"x5.5"x5.5"	1.1	MaxWhite	Black
VMAX92XWH2	92"(16:9)	45.1	80.2	114.6	203.7	22.1	25.4	10.0	11.5	95.8"x5.5"x5.5"	1.1	MaxWhite	White
VMAX100UWH2	100"(16:9)	49.0	87.2	124.5	221.5	22.8	27.6	10.4	12.5	102.8"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX100XWH2	100"(16:9)	49.0	87.2	124.5	221.5	22.8	27.6	10.4	12.5	102.8"x5.5"x5.9"	1.1	MaxWhite	White
VMAX106UWH2	106"(16:9)	52.0	92.4	132.1	234.7	23.4	28.7	10.6	13.0	108.3"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX106UWH2-E24	106"(16:9)	52.0	92.4	132.1	234.7	23.4	28.7	10.6	13.0	108.3"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX106XWH2-E24	106"(16:9)	52.0	92.4	132.1	234.7	23.4	28.7	10.6	13.0	108.3"x5.5"x5.9"	1.1	MaxWhite	White
VMAX110UWH2	110"(16:9)	54.0	96.0	137.2	243.8	23.6	30.0	10.7	13.6	111.8"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX110UWH2-E24	110"(16:9)	54.0	96.0	137.2	243.8	23.6	30.0	10.7	13.6	111.8"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX120UWH2	120"(16:9)	58.9	104.6	149.6	265.7	26.5	33.1	12.0	15.0	120.5"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX120UWH2-E24	120"(16:9)	58.9	104.6	149.6	265.7	26.5	33.1	12.0	15.0	120.5"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX120XWH2-E24	120"(16:9)	58.9	104.6	149.6	265.7	26.5	33.1	12.0	15.0	120.5"x5.5"x5.9"	1.1	MaxWhite	White
VMAX120XWH2	120"(16:9)	58.9	104.6	149.6	265.7	26.5	33.1	12.0	15.0	120.5"x5.5"x5.9"	1.1	MaxWhite	White
VMAX135UWH2	135"(16:9)	66.2	117.7	168.1	299.0	32.6	39.2	14.8	17.8	133.5"x5.5"x5.9"	1.1	MaxWhite FG	Black
VMAX135UWH2-E24	135"(16:9)	66.2	117.7	168.1	299.0	32.6	39.2	14.8	17.8	133.5"x5.5"x5.9"	1.1	MaxWhite FG	Black
VMAX135XWH2-E24	135"(16:9)	66.2	117.7	168.1	299.0	32.6	39.2	14.8	17.8	133.5"x5.5"x5.9"	1.1	MaxWhite FG	White
VMAX135XWH2	135"(16:9)	66.2	117.7	168.1	299.0	32.6	39.2	14.8	17.8	133.5"x5.5"x5.9"	1.1	MaxWhite FG	White
VMAX150UWH2	150"(16:9)	73.6	130.7	186.9	332.0	35.3	41.9	16.0	19.0	146.8"x5.5"x5.9"	1.1	MaxWhite FG	Black
VMAX150XWH2	150"(16:9)	73.6	130.7	186.9	332.0	35.3	41.9	16.0	19.0	146.8"x5.5"x5.9"	1.1	MaxWhite FG	White
VMAX150UWH2-E24	150"(16:9)	73.6	130.7	186.9	332.0	35.3	41.9	16.0	19.0	146.8"x5.5"x5.9"	1.1	MaxWhite FG	Black
VMAX166XWH2	166"(16:9)	81.0	144.0	205.7	365.8	47.9	59.9	21.8	27.2	159.0"x7.0"x7.0"	1.1	MaxWhite FG	White
VMAX106UWX2	106"(16:10)	56.2	90.0	142.7	228.6	21.1	27.3	9.6	12.4	106"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX106UWX2-E24	106"(16:10)	56.2	90.0	142.7	228.6	23.2	28.1	10.5	12.8	106"x5.5"x5.9"	1.1	MaxWhite	Black
VMAX128UWX2	128"(16:10)	67.8	108.4	172.2	275.3	26.2	32.1	11.9	14.6	124"x5.4"x5.9"	1.1	MaxWhite	Black
VMAX128UWX2-E20	128"(16:10)	67.8	108.4	172.2	275.3	27.7	33.3	12.6	15.1	124"x5.4"x5.9"	1.1	MaxWhite	Black
VMAX106UWH2-A1080P3	106"(16:9)	51.8	92.0	131.6	233.7	23.4	28.7	10.6	13	108.3"x5.5"x5.9"	1.1	AcousticPro1080P3	Black
VMAX120UWH2-A1080P3	120"(16:9)	58.8	104.6	149.4	265.7	26.5	33.1	12.0	15.0	120.5"x5.5"x5.9"	1.1	AcousticPro1080P3	Black
VMAX135UWH2-A1080P3	135"(16:9)	66.2	117.7	168.1	299.0	32.6	39.2	14.8	17.8	133.5"x5.5"x5.9"	1.1	AcousticPro1080P3	Black

VMAX2 Series Dimensions Table

Model	Nominal Diagonal	Case Length (A)	A1	Screen Width (A2)	View Width (A3)	Weight Bar Length (A4)	B3	Screen Material to Weight Bar (B1)	View Height (B2)	Overall Height (B)	End Cap Height (B4)	C1	End Cap Width (C2)	Power Cord Length (D)
VMAX99XWS2	99" (1:1)	2087	2032	1854	1778	1940	95	1949	1778	2042	93	17	80	1800
VMAX99UWS2	99" (1:1)	2087	2032	1854	1778	1940	95	1949	1778	2042	93	17	80	1800
VMAX113XWS2	113" (1:1)	2366	2311	2106	2030	2219	95	2188	2030	2281	93	17	80	1800
VMAX113UWS2	113" (1:1)	2366	2311	2106	2030	2219	95	2188	2030	2281	93	17	80	1800
VMAX119XWS2	119" (1:1)	2472	2417	2213	2137	2325	95	2308	2137	2401	93	17	80	1800
VMAX119UWS2	119" (1:1)	2472	2417	2213	2137	2325	95	2308	2137	2401	93	17	80	1800
VMAX136XWS2	136" (1:1)	2773	2718	2519	2443	2630	95	2601	2443	2694	93	17	80	1800
VMAX136UWS2	136" (1:1)	2773	2718	2519	2443	2630	95	2601	2443	2694	93	17	80	1800
VMAX153XWS2	153" (1:1)	3077	3022	2824	2748	2930	95	2906	2748	2999	93	17	80	1800
VMAX153UWS2	153" (1:1)	3077	3022	2824	2748	2930	95	2906	2748	2999	93	17	80	1800
VMAX170XWS2	170" (1:1)	3339	3284	3129	3053	3252	95	3198	3053	3291	105	17	89	2500
VMAX170UWS2	170" (1:1)	3339	3284	3129	3053	3252	95	3198	3053	3291	105	17	89	2500
VMAX84XWV2	84" (4:3)	2016	1961	1782	1706	1869	95	1616	1280	1709	93	17	80	1800
VMAX84UWV2	84" (4:3)	2016	1961	1782	1706	1869	95	1616	1280	1709	93	17	80	1800
VMAX92UWV2	92" (4:3)	2178	2123	1969	1869	2002	95	1624	1402	1717	93	17	80	1800
VMAX92XWV2	92" (4:3)	2178	2123	1969	1869	2002	95	1624	1402	1717	93	17	80	1800
VMAX100XWV2	100" (4:3)	2366	2311	2132	2032	2219	95	1733	1524	1826	93	17	80	1800
VMAX100UWV2	100" (4:3)	2366	2311	2132	2032	2219	95	1733	1524	1826	93	17	80	1800
VMAX100XWV2-E24	100" (4:3)	2366	2311	2132	2032	2219	95	2229	1524	2322	93	17	80	1800
VMAX120XWV2	120" (4:3)	2773	2718	2538	2438	2626	95	2012	1828	2105	93	17	80	1800
VMAX120UWV2	120" (4:3)	2773	2718	2538	2438	2626	95	2012	1828	2105	93	17	80	1800
VMAX120XWV2-E24	120" (4:3)	2773	2718	2538	2438	2626	95	2533	1828	2626	93	17	80	1800
VMAX135XWV2	135" (4:3)	3077	3022	2843	2743	2930	95	2241	2057	2334	93	17	80	1800
VMAX135UWV2	135" (4:3)	3077	3022	2843	2743	2930	95	2241	2057	2334	93	17	80	1800
VMAX135XWV2-E24	135" (4:3)	3077	3022	2843	2743	2930	95	2762	2057	2855	93	17	80	1800
VMAX150XWV2	150" (4:3)	3382	3327	3148	3048	3235	95	2470	2286	2563	93	17	80	1800
VMAX150UWV2	150" (4:3)	3382	3327	3148	3048	3235	95	2470	2286	2563	93	17	80	1800
VMAX165XWV2	165" (4:3)	3653	3598	3453	3353	3567	70	2687	2515	2792	105	17	80	2500
VMAX180XWV Plus4	180" (4:3)	3947	3892	3758	3658	3863	95	2939	2743	3032	105	17	89	2500
VMAX180UWV Plus4	180" (4:3)	3947	3892	3758	3658	3863	95	2939	2743	3032	105	17	89	2500
VMAX84XWH2	84" (16:9)	2168	2113	1936	1860	2021	95	1382	1046	1475	93	17	80	1800
VMAX84UWH2	84" (16:9)	2168	2113	1936	1860	2021	95	1382	1046	1475	93	17	80	1800
VMAX84UWH2-E30	84" (16:9)	2168	2113	1936	1860	2021	95	1903	1046	1996	93	17	80	1800
VMAX92XWH2	92" (16:9)	2366	2311	2132	2032	2219	95	1380	1146	1473	93	17	80	1800
VMAX92UWH2	92" (16:9)	2366	2311	2132	2032	2219	95	1380	1146	1473	93	17	80	1800
VMAX92UWH2-E30	92" (16:9)	2366	2311	2132	2032	2219	95	2003	1146	2096	93	17	80	1800
VMAX100XWH2	100" (16:9)	2544	2489	2314	2214	2397	95	1581	1245	1674	93	17	80	1800
VMAX100UWH2	100" (16:9)	2544	2489	2314	2214	2397	95	1581	1245	1674	93	17	80	1800
VMAX106UWH2	106" (16:9)	2687	2632	2447	2347	2540	95	1618	1320	1711	93	17	80	1800
VMAX106XWH2-E24	106" (16:9)	2687	2632	2447	2347	2540	95	2025	1320	2118	93	17	80	1800
VMAX106UWH2-E24	106" (16:9)	2687	2632	2447	2347	2540	95	2025	1320	2118	93	17	80	1800
VMAX110UWH2	110" (16:9)	2773	2718	2535	2435	2626	95	1617	1370	1710	93	17	80	1800
VMAX110UWH2-E24	110" (16:9)	2773	2718	2535	2435	2626	95	2075	1370	2168	93	17	80	1800
VMAX120XWH2	120" (16:9)	2991	2936	2757	2657	2844	95	1728	1494	1821	93	17	80	1800
VMAX120UWH2	120" (16:9)	2991	2936	2757	2657	2844	95	1728	1494	1821	93	17	80	1800
VMAX120XWH2-E24	120" (16:9)	2991	2936	2757	2657	2844	95	2199	1494	2292	93	17	80	1800
VMAX120UWH2-E24	120" (16:9)	2991	2936	2757	2657	2844	95	2199	1494	2292	93	17	80	1800
VMAX135XWH2	135" (16:9)	3323	3268	3089	2989	3176	95	1979	1681	2072	93	17	80	1800
VMAX135UWH2	135" (16:9)	3323	3268	3089	2989	3176	95	1979	1681	2072	93	17	80	1800
VMAX135XWH2-E24	135" (16:9)	3323	3268	3089	2989	3176	95	2387	1681	2480	93	17	80	1800
VMAX135UWH2-E24	135" (16:9)	3323	3268	3089	2989	3176	95	2387	1681	2480	93	17	80	1800
VMAX150XWH2	150" (16:9)	3655	3600	3422	3322	3508	95	2064	1868	2157	93	17	80	1800
VMAX150UWH2	150" (16:9)	3655	3600	3422	3322	3508	95	2064	1868	2157	93	17	80	1800
VMAX150UWH2-E24	150" (16:9)	3655	3600	3422	3322	3508	95	2573	1868	2666	93	17	80	1800
VMAX166XWH2	166" (16:9)	3975	3920	3445	3675	3890	70	2239	2067	2344	105	17	88	2500
VMAX106UWX2	106" (16:10)	2569	2514	2359	2283	2471	95	1674	1427	1767	93	17	80	1800
VMAX106UWX2-E24	106" (16:10)	2569	2514	2359	2283	2471	95	2132	1427	2225	93	17	80	1800
VMAX128UWX2	128" (16:10)	3043	2988	2833	2757	2930	95	1970	1723	2063	93	17	80	1800
VMAX128UWX2-E20	128" (16:10)	3043	2988	2833	2757	2930	95	2428	1723	2521	93	17	80	1800

Unit: mm

Can't find size and ratio you're looking for? Visit elitescreens.com/csr to create your own

VMAX2 Series Dimensions Table

Model	Nominal Diagonal	Case Length (A)	A1	Screen Width (A2)	View Width (A3)	Weight Bar Length (A4)	B3	Screen Material to Weight Bar (B1)	View Height (B2)	Overall Height (B)	End Cap Height (B4)	C1	End Cap Width (C2)	Power Cord Length (D)
VMAX99XWS2	99" (1:1)	82.2	80.0	73.0	70.0	76.4	3.7	76.7	70.0	80.4	3.7	0.7	3.1	70.9
VMAX99UWS2	99" (1:1)	82.2	80.0	73.0	70.0	76.4	3.7	76.7	70.0	80.4	3.7	0.7	3.1	70.9
VMAX113XWS2	113" (1:1)	93.1	91.0	82.9	79.9	87.4	3.7	86.1	79.9	89.8	3.7	0.7	3.1	70.9
VMAX113UWS2	113" (1:1)	93.1	91.0	82.9	79.9	87.4	3.7	86.1	79.9	89.8	3.7	0.7	3.1	70.9
VMAX119XWS2	119" (1:1)	97.3	95.2	87.1	84.1	91.5	3.7	90.9	84.1	94.5	3.7	0.7	3.1	70.9
VMAX119UWS2	119" (1:1)	97.3	95.2	87.1	84.1	91.5	3.7	90.9	84.1	94.5	3.7	0.7	3.1	70.9
VMAX136XWS2	136" (1:1)	109.2	107.0	99.2	96.2	103.5	3.7	102.4	96.2	106.1	3.7	0.7	3.1	70.9
VMAX136UWS2	136" (1:1)	109.2	107.0	99.2	96.2	103.5	3.7	102.4	96.2	106.1	3.7	0.7	3.1	70.9
VMAX153XWS2	153" (1:1)	121.1	119.0	111.2	108.2	115.4	3.7	114.4	108.2	118.1	3.7	0.7	3.1	70.9
VMAX153UWS2	153" (1:1)	121.1	119.0	111.2	108.2	115.4	3.7	114.4	108.2	118.1	3.7	0.7	3.1	70.9
VMAX170XWS2	170" (1:1)	131.5	129.3	123.2	120.2	128.0	3.7	125.9	120.2	129.6	4.1	0.7	3.5	98.4
VMAX170UWS2	170" (1:1)	131.5	129.3	123.2	120.2	128.0	3.7	125.9	120.2	129.6	4.1	0.7	3.5	98.4
VMAX84XWV2	84" (4:3)	79.4	77.2	70.2	67.2	73.6	3.7	63.6	50.4	67.3	3.7	0.7	3.1	70.9
VMAX84UWV2	84" (4:3)	79.4	77.2	70.2	67.2	73.6	3.7	63.6	50.4	67.3	3.7	0.7	3.1	70.9
VMAX92XWV2	92" (4:3)	85.7	83.6	77.5	73.6	78.8	3.7	63.9	55.2	67.6	3.7	0.7	3.1	70.9
VMAX92UWV2	92" (4:3)	85.7	83.6	77.5	73.6	78.8	3.7	63.9	55.2	67.6	3.7	0.7	3.1	70.9
VMAX100XWV2	100" (4:3)	93.1	91.0	83.9	80.0	87.4	3.7	68.2	60.0	71.9	3.7	0.7	3.1	70.9
VMAX100UWV2	100" (4:3)	93.1	91.0	83.9	80.0	87.4	3.7	68.2	60.0	71.9	3.7	0.7	3.1	70.9
VMAX100XWV2-E24	100" (4:3)	93.1	91.0	83.9	80.0	87.4	3.7	87.8	60.0	91.4	3.7	0.7	3.1	70.9
VMAX120XWV2	120" (4:3)	109.2	107.0	99.9	96.0	103.4	3.7	79.2	72.0	82.9	3.7	0.7	3.1	70.9
VMAX120UWV2	120" (4:3)	109.2	107.0	99.9	96.0	103.4	3.7	79.2	72.0	82.9	3.7	0.7	3.1	70.9
VMAX120XWV2-E24	120" (4:3)	109.2	107.0	99.9	96.0	103.4	3.7	99.7	72.0	103.4	3.7	0.7	3.1	70.9
VMAX135XWV2	135" (4:3)	121.1	119.0	111.9	108.0	115.4	3.7	88.2	81.0	91.9	3.7	0.7	3.1	70.9
VMAX135UWV2	135" (4:3)	121.1	119.0	111.9	108.0	115.4	3.7	88.2	81.0	91.9	3.7	0.7	3.1	70.9
VMAX135XWV2-E24	135" (4:3)	121.1	119.0	111.9	108.0	115.4	3.7	108.7	81.0	112.4	3.7	0.7	3.1	70.9
VMAX150XWV2	150" (4:3)	133.1	131.0	123.9	120.0	127.4	3.7	97.2	90.0	100.9	3.7	0.7	3.1	70.9
VMAX150UWV2	150" (4:3)	133.1	131.0	123.9	120.0	127.4	3.7	97.2	90.0	100.9	3.7	0.7	3.1	70.9
VMAX165XWV2	165" (4:3)	143.8	141.7	135.9	132.0	140.4	2.8	105.8	99.0	109.9	4.1	0.7	3.1	98.4
VMAX180XWV Plus4	180" (4:3)	155.4	153.2	148.0	144.0	152.1	3.7	115.7	108.0	119.4	4.1	0.7	3.5	98.4
VMAX180UWV Plus4	180" (4:3)	155.4	153.2	148.0	144.0	152.1	3.7	115.7	108.0	119.4	4.1	0.7	3.5	98.4
VMAX84XWH2	84" (16:9)	85.4	83.2	76.2	73.2	79.6	3.7	54.4	41.2	58.1	3.7	0.7	3.1	70.9
VMAX84UWH2	84" (16:9)	85.4	83.2	76.2	73.2	79.6	3.7	54.4	41.2	58.1	3.7	0.7	3.1	70.9
VMAX84UWH2-E30	84" (16:9)	85.4	83.2	76.2	73.2	79.6	3.7	74.9	41.2	78.6	3.7	0.7	3.1	70.9
VMAX92XWH2	92" (16:9)	93.1	91.0	83.9	80.0	87.4	3.7	54.3	45.1	58.0	3.7	0.7	3.1	70.9
VMAX92UWH2	92" (16:9)	93.1	91.0	83.9	80.0	87.4	3.7	54.3	45.1	58.0	3.7	0.7	3.1	70.9
VMAX92UWH2-E30	92" (16:9)	93.1	91.0	83.9	80.0	87.4	3.7	78.9	45.1	82.5	3.7	0.7	3.1	70.9
VMAX100XWH2	100" (16:9)	100.2	98.0	91.1	87.2	94.4	3.7	62.2	49.0	65.9	3.7	0.7	3.1	70.9
VMAX100UWH2	100" (16:9)	100.2	98.0	91.1	87.2	94.4	3.7	62.2	49.0	65.9	3.7	0.7	3.1	70.9
VMAX106UWH2	106" (16:9)	105.8	103.6	96.3	92.4	100.0	3.7	63.7	52.0	67.4	3.7	0.7	3.1	70.9
VMAX106XWH2-E24	106" (16:9)	105.8	103.6	96.3	92.4	100.0	3.7	79.7	52.0	83.4	3.7	0.7	3.1	70.9
VMAX106UWH2-E24	106" (16:9)	105.8	103.6	96.3	92.4	100.0	3.7	79.7	52.0	83.4	3.7	0.7	3.1	70.9
VMAX110UWH2	110" 16:9	109.2	107.0	99.8	95.9	103.4	3.7	63.7	53.9	67.3	3.7	0.7	3.1	70.9
VMAX110UWH2-E24	110" 16:10	109.2	107.0	99.8	95.9	103.4	3.7	81.7	53.9	85.4	3.7	0.7	3.1	70.9
VMAX120XWH2	120" (16:9)	117.8	115.6	108.5	104.6	112.0	3.7	68.0	58.8	71.7	3.7	0.7	3.1	70.9
VMAX120UWH2	120" (16:9)	117.8	115.6	108.5	104.6	112.0	3.7	68.0	58.8	71.7	3.7	0.7	3.1	70.9
VMAX120XWH2-E24	120" (16:9)	117.8	115.6	108.5	104.6	112.0	3.7	86.6	58.8	90.2	3.7	0.7	3.1	70.9
VMAX120UWH2-E24	120" (16:9)	117.8	115.6	108.5	104.6	112.0	3.7	86.6	58.8	90.2	3.7	0.7	3.1	70.9
VMAX135XWH2	135" (16:9)	130.8	128.7	121.6	117.7	125.0	3.7	77.9	66.2	81.6	3.7	0.7	3.1	70.9
VMAX135UWH2	135" (16:9)	130.8	128.7	121.6	117.7	125.0	3.7	77.9	66.2	81.6	3.7	0.7	3.1	70.9
VMAX135XWH2-E24	135" (16:9)	130.8	128.7	121.6	117.7	125.0	3.7	94.0	66.2	97.6	3.7	0.7	3.1	70.9
VMAX135UWH2-E24	135" (16:9)	130.8	128.7	121.6	117.7	125.0	3.7	94.0	66.2	97.6	3.7	0.7	3.1	70.9
VMAX150XWH2	150" (16:9)	143.9	141.7	134.7	130.8	138.1	3.7	81.3	73.5	84.9	3.7	0.7	3.1	70.9
VMAX150UWH2	150" (16:9)	143.9	141.7	134.7	130.8	138.1	3.7	81.3	73.5	84.9	3.7	0.7	3.1	70.9
VMAX150UWH2-E24	150" (16:9)	143.9	141.7	134.7	130.8	138.1	3.7	101.3	73.5	105.0	3.7	0.7	3.1	70.9
VMAX166XWH2	166" (16:9)	156.5	154.3	135.6	144.7	153.1	2.8	88.1	81.4	92.3	4.1	0.7	3.5	98.4
VMAX106UWX2	106" (16:10)	101.1	99.0	92.9	89.9	97.3	3.7	65.9	56.2	69.6	3.7	0.7	3.1	70.9
VMAX106UWX2-E24	106" (16:10)	101.1	99.0	92.9	89.9	97.3	3.7	83.9	56.2	87.6	3.7	0.7	3.1	70.9
VMAX128UWX2	128" (16:10)	119.8	117.6	111.5	108.5	115.4	3.7	77.6	67.8	81.2	3.7	0.7	3.1	70.9
VMAX128UWX2-E20	128" (16:10)	119.8	117.6	111.5	108.5	115.4	3.7	95.6	67.8	99.3	3.7	0.7	3.1	70.9

Unit: inch

Can't find size and ratio you're looking for? Visit elitescreens.com/csr to create your own

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

