

VFM-F40/W Motorised Flat Panel Floor Stand with Wheels


1 EU SAP: 5062720 US SAP: 70017407

visionaudiovisual.com/vfm-f40-w

Lifts up to 110 kg (242 lb)
700 mm (27.6") height adjustment
Grab handles
Shallow leg design
Premium 100 mm 4" wheels

Vision's Flat-Panel Mount VFM-F40/WXL is a heavy-duty portable floorstand for large interactive or non-interactive displays. It is super-rigid, powerful, and comes almost completely assembled. Just take it out of the box, assemble and attach the wheel assembly and flat-panel mount. There is no easier floorstand to put together.

Vision's floorstands transmit the load of the heavy display safely to the floor. This stand is optimised for use in meeting spaces where a high quality fit and finish is essential.



SWL 110kg (242 lbs)

The F40 uses heavy-gauge components to take the weight, and a powerful linear drive pushes up (and pulls down) with 1500 Newtons of force, moving at a relatively quick 19 mm (0.8") per second.

Regular Freight

This product comes in three boxes: a VFM-F40FRAME which contains the almost completely assembled column. A VFM-W8X6 wall mount, which fixes to the column. And a VFM-FWHEELS wheel assembly. We did this to keep the weight of the carton under 30 kg / 66 lb so normal courier services can be used.

700 mm / 27.5" Motorised Height Adjustment

The central column is a fixed 1.7 metres (5.6 ft) tall, with the moving assembly moving up and down the column 700 mm / 27.5".

Extremely Tight Tolerances

The moving mechanism uses a roller-slide design with four quality bearings which glide up polished rails. The tolerances of bearings on rail result in zero unwanted movement.

Wireless Control

A remote control is included with simple up and down functions. Users can use the holder, or a magnet sticker to fix the remote to the side of the column out of sight.

Grab Handles

Two handles come with the wheel assembly to help users move the floorstand around without having to grab the display.

VISION



Safety Stop

A safety stop is triggered when the display lowers onto hard furnishings. Note soft items may fail to trigger the stop. Care should be taken whenever moving the display down.

Cable Management

Generous cable entry holes on the sides make routing cables quick and easy. There are holes in the rear for cable ties.

Hide Mess

Plenty of space behind the front cover to hide cables, media players, mini PCs, and power distribution boards. The wheel assembly includes a back cover for the column. There is still access to a generous cable hook in the rear

VESA 800 x 600

This product includes Vision's heavy-duty [VFM-W8X6](#) wall mount which fits most large-format flat panels from 47-90". Vision's larger [VFM-W10X6](#) wall bracket can also fix to this column, or the smaller [VFM-W6X4](#).

Optional Side Shelf

An adjustable outrigger supports a flip-up laptop shelf. It can be positioned at the optimum height to the side of the display. *Note: Due into stock late 2019*

Optional Video Conference Shelf

This shelf fixes in the centre above or below the display. It accommodates cameras such as Logitech's Rally, and also Logitech's Meetup, Yamaha's VVC-1000, or Barco's Clickshare CSE-200 base stations. With VESA100 holes on the vertical section, product's like iPad enclosures can be fixed above or below the display.

Generous 100 mm / 4" Wheels

Big wheels make it easier to pull along, and reduce vibration. They even have curved corners so they are gentler on your feet.

Shallow Feet

The feet are 650 mm / 25.6" deep, which means they don't protrude forward too much. This also makes it much easier to fit through a standard doorway. If a heavier display is to be fitted, or if it will be moved often over rough or sloping surfaces we recommend the [VFM-F40/WXL](#) which has longer feet.

MANUAL

Vision Floorstands range overview apr 2019

EN PDF 535.05 KB

files.visionaudiovisual.com/products/VFM-F40_W/manuals/Vision_Floorstands_range_overview_apr_2019.pdf

SPECIFICATIONS

WHAT YOU GET

1 x VFM-F40FRAME 1 x VFM-W8X6 1 x VFM-FWHEELS

PRODUCT DIMENSIONS

VFM-F40FRAME: See CAD VFM-W8X6: 845 x 635 x 36 mm / 33.3" x 25.0" x 1.4" (width x height x depth) VFM-FWHEELS: See CAD

PACKAGED DIMENSIONS

VFM-F40FRAME: 1400 x 380 x 140 mm / 55.12" x 14.96" x 5.51" VFM-W8X6: 880 x 235 x 40 mm / 34.6" x 9.3" x 1.6" VFM-FWHEELS: 1050 x 500 x 120 mm / 41.3" x 19.7" x 4.7"

PRODUCT WEIGHT

VFM-F40FRAME: 26 kg / 57 lbs VFM-W8X6: 5.8 kg / 12.9 lbs VFM-FWHEELS: tbc Total: tbc

PACKAGED WEIGHT

VFM-F40FRAME: 29.9 kg / 66 lbs VFM-W8X6: 6.8 kg / 15.0 lbs VFM-FWHEELS: 14.0 kg / 31.0 lbs
Total: 50.7 kg / 112 lbs

SAFE WORKING LOAD

110 kg / 242 lb

CONSTRUCTION MATERIAL

Steel

COLOUR

Powercoated Matt Black

VESA SIZES

800 x 600 mm 800 x 500 mm 800 x 400 mm 600 x 600 mm 600 x 500 mm 600 x 400 mm 500 x 500 mm 500 x 400 mm 400 x 600 mm 400 x 400 mm 400 x 300 mm 400 x 200 mm 300 x 400 mm 300 x 300 mm

MOTOR TYPE

Linear-drive

SAFETY STOP

Yes

FORCE

1500 N (both up and down)

MOVEMENT SPEED

19 mm / 0.8" per second

HEIGHT ADJUSTMENT RANGE

700 mm / 27.6"

ACCESSORIES INCLUDED

WITH VFM-F40FRAME 1 x EU Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x UK Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x AU Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x US Figure-8 C7 Power cable 2.5 m (8 ft) long 1 x IR Remote Control (A23 12v battery included) 4 x Wall Brackets WITH VFM-W8X6 4 x M5 16 mm screw 4 x M6 16 mm screw 4 x M6 25 mm screw 4 x M8 16 mm screw 4 x M8 35 mm screw 2 x M8 45 mm screw WITH VFM-F40WHEELS 2 x Grab Handles Rear cover for column

POWER SUPPLY

110-230V Integrated Power Supply

WARRANTY

Lifetime return-to-base UK Only: 5 years onsite

COMPLIANCES

RoHS, WEEE, FCC, CE/EMC, CE/LVD, RCM/DOC, RCM/POC ADA Compliant (Americans with Disability Act)

ORDER PART CODE

VFM-F40/W [EU SAP: 5062720 / US SAP: 70017407]

OPTIONAL ADD-ONS

VFM-WSS Side Shelf [EU SAP: 4857149 / US SAP: 13557610] VFM-WVC Video Conferencing Shelf [EU SAP: 5048878 / US SAP: 13557673]

The logo for VISION, featuring the word "VISION" in a bold, white, sans-serif font. The letter "O" is stylized with a play button icon inside it. The logo is set against a dark green background that is part of a larger abstract graphic at the bottom of the page.